

Figure 4: WordPress configuration on OpenShift-II

provisioning, deprovisioning, management and scaling of applications in an efficient manner. It supports programming languages such as Java, Ruby, PHP, Node.js, Python and Perl, and a set of developer tools to increase developer productivity and accelerate application deployment and delivery. It supports command line client tools and a Web management console to launch and manage applications easily.

To sign up for OpenShift Online, visit *https://www.openshift.com/app/account/new*. Check your inbox for an email confirming your account. You must click the link in the email to complete the registration process. Accept the legal terms after verifying your account. You will get a welcome screen at *https://openshift.redhat.com/app/console/applications*. Click on *Create your first application now*. From multiple options, choose the type of application.



Figure 5: WordPress configuration for user



Figure 6: WordPress dashboard



Figure 7: WordPress site

WordPress on OpenShift

Let's start with the WordPress application. Click on *WordPress 4*. Provide a domain under which your applications will be grouped. The application will start with an exact copy of the code and configuration provided in this Git repository *https://github.com/openshift/wordpress-example.git*.

Gears are the application containers running your code. For most applications, the small gear size provides plenty of resources.

Applications are composed of cartridges, each one of which exposes a service or capability to your code. All applications must have a Web cartridge.

Note the credentials and other important information such as connection URL. Select the language for WordPress installation. Give your username, password, site title, email and other information required.

Click on *Install Wordpress*. Log in to the admin area at *https://mywordpress-msclouds.rhcloud.com/wp-login.php*. Figure 6 gives the dashboard for the WordPress site we have created on the OpenShift Online. Visit the site (Figure 7).

Figure 8: Jenkins login screen