

- FusionChart
- PHP/SWF Chart
- pChart
- amChart
- ezGraph component
- phpMyGraph
- GNUPLLOT
- LibChart
- PHPChart
- JGRAPH

Creating dynamic charts using the JpGraph library

JpGraph ([url: jpgraph.net](http://jpgraph.net)) is one of the well-known Object-Oriented Graph creating libraries for PHP. The library is completely written in PHP and is ready for integration with any PHP script (both CGI/APXS/CLI versions of PHP are supported).

Listed below are the features available in JpGraph:

- Anti-aliasing for pie charts
- Advanced formatting of graph titles including 3D bevel effects
- An additional 3D bevel formatting feature for the entire graph
- Gradient fills for bars now also displayed in the legend
- Improvements in legend formatting
- Multiple columns in the legend
- Improved callback capability for plot marks. The new callbacks will provide both X and Y co-ordinates.
- Footer text can now be used on all graph types
- The added possibility of using the freely available Vera TTF fonts, which are available from <http://www.gnome.org/fonts/>
- Built-in rotation of graphs
- Fine tuning of legend layout, size and positioning of individual legends and markers
- Added possibility to use object methods as callbacks and not only static global functions
- Full support for colour alpha blending
- Automatic generation of client-side image maps to make it possible to generate drill-down graphs
- Advanced interpolation with cubic splines to get smooth curves from just a few data points
- Several different filling styles for line plots
- Advanced built-in 3D effects without external image manipulation programs
- Support for an unlimited number of plots in each graph, making it easy to compose complex graphs that have several plot types
- Additional built-in images for plot marks including 3D-rendered markers like diamonds, squares, bevels, balls, pins, etc
- Text strings can now be added to the plot using scale coordinates
- Support for all primitive URL parameter types with CSIM graphs
- Auto scaling will now also consider added lines and texts
- Hare/Niemeyer Integer compensation for pie plots
- Added possibility of using vertical gradient fill for line plots
- Improved error handling. The visual appearance of the error handling now tries to mimic any Windows' system's window (in graphics)
- Built-in support to display over 200 country flags and the possibility of using them as icons or markers in the graphs. All the flag images are built-in with JpGraph in an efficient pre-compiled data format
- Supports caching (with timeout) of generated graphs to lessen burden of a HTTP server
- Intelligent auto scaling which gravitates towards aesthetical values
- Fully supports manual scaling
- Supports colour-gradient fill for bar graphs
- Supports both vertical and horizontal grids (with image depth specification)
- Supports both on-the-fly image generation and batch processing
- Extensive documentation
- Advanced text formatting using TTF fonts
- Support for both Chinese and Japanese character sets

To create line graphs using the JpGraph library, type:

```
<?php // content="text/plain; charset=utf-8"
require_once ('jpgraph/jpgraph.php');
require_once ('jpgraph/jpgraph_line.php');

$datay1 = array(20,15,23,15);
$datay2 = array(12,9,42,8);
$datay3 = array(5,17,32,24);

// Setup the graph
$graph = new Graph(300,250);
$graph->SetScale("textlin");

$theme_class=new UniversalTheme;

$graph->SetTheme($theme_class);
$graph->img->SetAntiAliasing(false);
$graph->title->Set('Filled Y-grid');
$graph->SetBox(false);

$graph->img->SetAntiAliasing();

$graph->yaxis->HideZeroLabel();
$graph->yaxis->HideLine(false);
$graph->yaxis->HideTicks(false,false);

$graph->xgrid->Show();
$graph->xgrid->SetLineStyle("solid");
$graph->xaxis->SetTickLabels(array('A','B','C','D'));
```