

Figure 5: eth0 interface traffic



Figure 6: Network port traffic

```
log_file = /var/log/monitorix-httpd
hosts_deny = <----- Ip from which not to allow
web link access

hosts_allow = <----- Ip from which to allow web
link access

<auth>
enabled = n <----- set to "y"
msg = Monitorix: Restricted access
htpasswd = /var/lib/monitorix/htpasswd
<-----htpasswd file Location
</auth>
</httpd_buildin>
```

This is what you get after the changes are made:

```
title = diamond Monitorix
hostname =diamond
<httpd_buildin>
enabled = y
host = diamond
port = 8080
user = nobody
group = nobody
log_file = /var/log/monitorix-httpd
hosts_deny =
hosts_allow =
<auth>
enabled = y
msg = Monitorix: Restricted access
htpasswd = /var/lib/monitorix/htpasswd
</auth>
</httpd_buildin>
```




Figure 7: User using the system

To enable graph based statistics for a particular service, e.g., Apache, make the changes under *# Graphs (de)activation* section from *n* to *y*.

```
<graph_enable>
apache = y
</graph_enable>
```

And, finally, restart the Monitorix service whenever the changes are made to the *config* file.

#service monitorix restart

How to secure Monitorix

To secure Web link access with authentication, set 'enabled = y' under the *<auth>* section and create a file */var/lib/monitorix/htpasswd...*

```
#touch /var/lib/monitorix/htpasswd
#htpasswd -d /var/lib/monitorix/htpasswd username
```

...which will add a user with Force SHA encryption of the password.

Now point your browser to *http://ip-address:8080/monitorix/*

In our case, *http://192.168.1.222:8080/monitorix*, it will ask for the user name and password. After entering both, you will be able to see the Monitorix main page, as shown in Figure 1.

You can check out the screenshots given in Figures 2 to 7 for system statistics. 

References

- [1] Official site: <http://www.monitorix.org/>
- [2] <http://www.tecmint.com/how-to-enable-epel-repository-for-rhel-centos-6-5>
- [3] <http://www.tecmint.com/monitorix-a-lightweight-system-and-network-monitoring-tool-for-linux/>
- [4] <http://linux.die.net/man/5/monitorix.conf>

By: Suresh M. Jagtap

The author is a Linux enthusiast who loves to explore various Linux distributions and open source software. He can be contacted at smjagtap@gmail.com