

NetApp, Mirantis announce partnership

Mirantis has joined hands with NetApp and announced a partnership that combines the Mirantis' OpenStack with NetApp's storage infrastructure.

Kamesh Pemmaraju, vice president of product marketing, Mirantis, said that the joint reference architecture puts this expertise into the hands of the user. It leverages the latest release of Mirantis OpenStack to address high-availability use cases for both cloud-native and traditional applications targeted for high-SLA environments, he added.

One of the benefits that customers will get after this partnership is NetApp block storage drivers for MOS 7.0. This will enable enterprises to leverage NetApp's enterprise-class storage with the just-released Mirantis OpenStack 7.0.



A fuel plug-in for NetApp is also validated by Mirantis, which simplifies and automates deployment and configuration.

Soon, customers of the next version of OpenStack, called Mitaka, will be able to leverage NetApp Clustered Data ONTAP storage.

enhancements to support SDN and NFV 'case enablement'. The Drake release is said to include new security, configuration and application-level feature sets that support improvements to the northbound and southbound data flows.

New Linux kernel updates for Debian

There are four critical kernel vulnerabilities (CVE-2015-2925, CVE-2015-5257, CVE-2015-5283 and CVE-2015-7613) that have been addressed in the updates for Debian. The new kernel packages are 4.2.3-1 for Sid, 3.16.7-ckt11-1+deb8u5 for Jessie, and 3.2.68-1+deb7u5 for Wheezy. All the Debian GNU/Linux operating systems that are part of the branches mentioned above are vulnerable, which means that users are urged to update their Debian-based machines as soon as possible using the built-in package management utilities.

"Several vulnerabilities have been discovered in the Linux kernel that may lead to a privilege escalation, denial of service, unauthorised information disclosure or unauthorised information modification," said the Debian developers in the DSA-3372-1 security advisory.

The following security flaws have all been fixed in the new updates. The first security flaw was discovered by Jann Horn in the Linux kernel packages of Debian GNU/Linux 7 Wheezy. This could allow a privileged user with write permissions to access the entire file system when a sub-directory of the respective file system was bind-mounted into a mount namespace or chroot. This has been fixed for Debian GNU/Linux 8 Jessie systems.

The second kernel vulnerability was discovered by Moein Ghasemzadeh from the Istuary Innovation Labs. This is in the Linux kernel's USB drivers, as an attacker could use a USB device to crash the system by causing a denial-of-service attack by imitating a Whiteheat USB serial device.

The third flaw was discovered by Marcelo Ricardo Leitner in Debian GNU/Linux 8 Jessie's Linux kernel SCTP support, which could allow an attacker to crash the system by causing a denial-of-service attack by creating multiple SCTP sockets.

Lastly, the fourth kernel vulnerability was discovered by Dmitry Vyukov in Linux kernel's System V IPC implementation, which could allow a local user to gain root access, cause a denial-of-service attack, as well as gain access to or modify unauthorised information. This was possible because the System V IPC objects were made accessible before the initialisation of the ownership and several other attributes.

Nautilus' file search about to get big power-up

Nautilus' file search makes heavy use of GNOME's spiffy pop-over menus in an effort to offer a simpler way to narrow in on search results and find exactly what you're after. Developer Georges Stavracas is working on the new UI and describes the new editor as "cleaner, saner and more intuitive."

"Nautilus has very complex but powerful internals, which allows us to do many things. And indeed, there is code for the many options in there. So, why did it look so poorly implemented/broken?" he writes in his blog.

The new search filter interface surfaces many of the 'powerful internals' to the user. Searches can be filtered on the basis of content type,

