



Figure 1: User per machine

```
root@puppet-client:~# grep 1001 /etc/group | wc -l
0
```

On running the command `puppetd --server=puppet -t --onetime` as the root user, you should get the following result, telling you that the group `lffyforum` has been created successfully, with the ID 1001.



**Note:** You can add a "-d" also for debugging options, to troubleshoot any errors under these lines.

```
notice: /Stage[main]//Group[lffyforum]:ensure: created
root@puppet-client:~# grep 1001 /etc/group
lffyforum:x:1001:
```

## Users

You can create users with a basic method. `site.pp` would be the file to use for both users and groups in this example. Add the following lines to `site.pp`:

```
user
{
  "lffy":
    ensure => "present",
    uid    => "1001",
    gid    => "1001",
    comment => "LinuxForU User",
    home   => "/home/lffy",
    shell  => "/bin/bash"
}
```

Of course, here also please make sure that a user with the ID 1001 doesn't already exist:

```
root@puppet-client:~# grep 1001 /etc/passwd | wc -l
0
```

On running the `puppetd` command as the root, you should



Figure 2: User groups

get the following code:

```
notice: /Stage[main]//User[lffy]:ensure: created
```

```
root@puppet-client:~# grep 1001 /etc/passwd
lffy:x:1001:1001:LinuxForU User:/home/lffy:/bin/bash
```

Now, can these two be clubbed, instead of having them as two different statements? Yes. We can make the user statement depend on the group by adding the following line:

```
require => Group["lffyforum"]
```

You now have the output given below:

```
notice: /Stage[main]//Group[lffyforum]:ensure: created
notice: /Stage[main]//User[lffy]:ensure: created
```

## Files and folders

In UNIX, everything is considered or drilled down to the concept of a file, even a folder. But in Puppet, that is not so. You have to exclusively mention the word *directory* to have a folder created. A home directory does not get created, by default; and if it does, default permissions for the home would be 755. In this special case, adding the `managehome` line to the user stanza should take care of creating the home folder and the skeleton of the folder as well.

```
user
{
  "lffy":
    ensure => "present",
    uid    => "1001",
    gid    => "1001",
    comment => "LinuxForU User",
    home   => "/home/lffy",
    shell  => "/bin/bash",
    managehome => true
}
```