

Impress.js (<http://bartaz.github.com/impress.js/>) is a JavaScript library created by developer Bartek Szopka, which takes the power of CSS3 transformations and transitions of objects and images and gives you a rock-solid platform for impressive presentations. It is licensed under the MIT License. The project can be forked from the project page, <https://github.com/bartaz/impress.js/>. This library is compatible with Google Chrome, Safari, Firefox 10 and IE 10. Using it is quite straightforward; the next few steps show how to create a very basic presentation:

1. First, download *impress.js* from Github. Then go to <https://raw.github.com/bartaz/impress.js/master/js/impress.js> and save it locally.
2. Now create an HTML page, which will contain your slides. Include *impress.js* in the HTML (it must be included just before the closing *body* tag). For example:

```
<!doctype html>
<html>
  <head>
    <title>my first presentation using impress.js/<
  </title>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
  </head>
  <body>
    <script type="text/javascript" src="impress.js"></script>
  </body>
</html>
```

3. The *script* tag's *src* attribute should locate (the path at which) *impress.js* is. Ideally, put it in the same directory as the HTML page, so *src="impress.js"* works.
4. Now, inside the *body* tag, create a division with the *id* "*impress*", which will contain the slides, so it looks like what follows:

```
<body>
  <div id="impress">
  </div>
</body>
```

5. Inside the *impress* *div*, you can have multiple slides, each in a separate *div*, with the class "*step slide*". For example:

```
<body>
  <div id="impress">
    <div class="step slide" >
      This is my first slide.
    </div>
    <div class="step slide" data-x="500" data-y="0">
      This is my second slide.
    </div>
  </div>
</body>
```

6. You are now done with the basics. Open the HTML page in a supported browser, and watch the magic. Use the arrow keys to move back and forth.

If you want to check and inform the user when the browser does not support *impress.js*, create a *div* with *class="no-support-message"*.

You can also play around with each and every slide's orientation (when the slide is not active) by changing any of the following properties of a slide *div* (taken from the <http://www.cubewebsites.com/tutorial>):

- *data-y*, *data-x*, *data-z*: These are the x, y and z co-ordinates of the slide
- *data-scale*: Scales your slide by a factor of this value. A data-scale of 5 would be 5 times the original size of your slide.
- *data-rotate*: Rotates your slide by the specified number of degrees.
- *Data-rotate-x*, *data-rotate-y*, *data-rotate-z*: The number of degrees it should be rotated about the x axis/y axis/z axis in 3D slides. 

Resources

Here are some cool presentations based on *impress.js*:

- [1] <http://bartaz.github.com/meetjs/css3d-summit/> from summit.meetjs.pl by @bartaz
- [2] <http://johnpolacek.github.com/WhatTheHeckIsResponsiveWebDesign-impressjs/#/title> by John Polacek @johnpolacek
- [3] <http://extra.12412.org/digibury/#/title> by Stephen Fulljames @fulljames
- [4] http://wakame.jp/wiki/materials/20120114_TLUG/#/title by Andreas Kieckens @Metallion98

By: Gaurav Paliwal

The author is a FOSS lover. His areas of interest include FOSS for academic institution infrastructure. He can be reached at gaurav@gauravpaliwal.com. More about him can be found at gauravpaliwal.com/.