



Figure 5: After automatic translation (tick-mark annotations)




Figure 6: Project settings



Figure 7: Completed translations for the launch screen menu

months. This process is now being Web-enabled to make it easy for users. Then you need to send an email with the *package.language.po* on the subject line and the localised file as an attachment to robot@translationproject.org. If the robot



Figure 8: Klavaro with the Telugu UI

responds with any errors, those need to be addressed before attempting to send the attachment again. Once the attachment is accepted, your localisation will be picked up by all Linux distributions and will reach the end users in due course of time.



Note: As multiple input methods are used in the Indian language alphabet keyboard, short cut keys of English should be retained in the localisation by adding them in parentheses. For example, "*_Language*:" becomes localised as *<localised name for Language>(_L)*

There are several other standalone tools like Granslator, Virtaal and Lokalize, which can be used for localisation. Lokalize is a bit more advanced, as it shows the progress of localisation graphically for the entire set of PO files for an application and provides additional features like glossary support. We will explore it in forthcoming articles in this series. Please try localising any software of interest and write in with your questions on any aspect of localisation. **END**

By: Arjuna Rao Chavala

The author is an independent consultant in the areas of IT, program/engineering management and open source. He is also the president of Wikimedia India and the WG Chair for the IEEE-SA project P1908.1 "Virtual keyboard standard for Indic languages". He can be reached through his website <http://arjunarao.blogspot.in> and his Twitter ID: @arjunarao.