

terminal you'd have to run it with an absolute path every time (e.g., `/opt/ZendStudio/ZendStudio`), which gets irritating. Instead, you can simply create a link to it in `/usr/local/bin` or `/usr/bin`, with something like what follows:

```
In -s /opt/ZendStudio/ZendStudio /usr/local/bin/zenstudio
```

After this, you should be able to run it from a terminal with just `zenstudio`.

On first running it, you will get the licence agreement screen, which asks you to enter a licence number or choose to use it on trial for 30 days. If you have purchased a licence then enter its number, or choose the trial mode. After this, you will be asked to install the Zend Firefox Toolbar, to make debugging and profiling possible directly from the browser.

If you want to create a desktop shortcut for ease of use, create a file in your Desktop folder, named `ZendStudio.desktop`, with the following contents:

```
[Desktop Entry]
Version=9.0
Type=Application
Terminal=false
Icon[en_GB]=/opt/ZendStudio/icon.xpm
Name[en_GB]=ZendStudio
Exec=/opt/ZendStudio/ZendStudio
Name=ZendStudio
Icon=/opt/ZendStudio/icon.xpm
```

Save the file and close your editor. Now, as the root user, move this file to `/usr/share/applications`:

```
mv ZendStudio.desktop /usr/share/applications
cd /usr/share/applications
chmod 644 ZendStudio.desktop
chown root:root ZendStudio.desktop
```

Now, from your GNOME 3 Desktop menu, you can find the ZendStudio item to launch it.

Installing Zend Server

Zend Server is an integrated PHP and Apache stack that sets up a simple PHP environment running with minimal effort on your part. Extract the archive `ZendServer-`




Figure 1: Installing the Zend Firefox toolbar




Figure 2: Zend Studio running on Fedora 16, 32-bit




Figure 3: Zend Server's administrative interface dashboard