



TIPS & TRICKS

Learn Linux commands



Open the GNOME terminal and run the following command:

```
echo 'man `ls /usr/bin | shuf -n 1`' >> ~/.bashrc
```

Now, whenever you open a terminal, you will be greeted by a man page of a random command.

It's a nice way to learn about new commands.

—Narendra Sisodiya,

narendra@narendrasisodiya.com

Backing up a MySQL database



There are several methods to back up a MySQL database, one of which is to a command line option. You need to have *mysqldump* installed for this method.

mysqldump is a command line utility that comes with the MySQL installation. It can be used to archive one or all databases.

Given below is the command to back up a single database:

```
mysqldump --user [user_name] --password=[password_of_the_user] [database name] > [dump_file]
```

The command for back up of all databases in existence is as follows:

```
mysqldump --u[user_name] --p[password] --all-databases > [dump file]
```

To restore the back up taken by *mysqldump*, use the normal SQL command.

```
mysql --u [username] --password=[password] [database name] < [dump_file]
```

—Manish,
mt81@in.com

How to show the name of the current database in the MySQL prompt



If you need the name of the currently selected database in your MySQL prompt, use the following lines in your MySQL configuration file (my.cnf):

```
[mysql]
```

```
prompt='mysql(\d)> '
```

Now, when you connect, the MySQL prompt will look like what's shown below:

```
mysql((none))> use test;
```

Database changed

```
mysql(test)>
```

```
mysql(test)> use mysql;
```

Database changed

```
mysql(mysql)>
```

This makes it very easy to identify the name of the database that you are currently working on.

—Mohana Sundaram N,
mohan.linux@yahoo.com