

```

int i;
sfs_file_entry_t fe;

lseek(sfs_handle, sb.entry_table_block_start * sb.block_size,
SEEK_SET);
for (i = 0; i < sb.entry_count; i++)
{
    read(sfs_handle, &fe, sizeof(sfs_file_entry_t));
    if (!fe.name[0]) continue;
    if (strcmp(fe.name, fn) == 0) break;
}
if (i == sb.entry_count)
{
    printf("File %s doesn't exist\n", fn);
    return;
}

lseek(sfs_handle, -sb.entry_size, SEEK_CUR);

memset(&fe, 0, sizeof(sfs_file_entry_t));
write(sfs_handle, &fe, sizeof(sfs_file_entry_t));
}

void browse_sfs(int sfs_handle)
{
    int done;
    char cmd[256], *fn;
    int ret;

    done = 0;

    printf("Welcome to SFS Browsing Shell v1.0\n\n");
    printf("Block size   : %d bytes\n", sb.block_size);
    printf("Partition size : %d blocks\n", sb.partition_size);
    printf("File entry size: %d bytes\n", sb.entry_size);
    printf("Entry tbl size : %d blocks\n", sb.entry_table_size);
    printf("Entry count   : %d\n", sb.entry_count);
    printf("\n");
    while (!done)
    {
        printf("$> ");
        ret = scanf("%s", cmd);
        if (ret < 0)
        {
            done = 1;
            printf("\n");
            continue;
        }
        else
        {
            getchar();
            if (ret == 0) continue;
        }
        if (strcmp(cmd, "?") == 0)

```

```

{
    printf("Supported commands:\n");
    printf("\t\t\tquit\t\tlist\t\tcreate\t\tremove\n");
    continue;
}
else if (strcmp(cmd, "quit") == 0)
{
    done = 1;
    continue;
}
else if (strcmp(cmd, "list") == 0)
{
    sfs_list(sfs_handle);
    continue;
}
else if (strncmp(cmd, "create", 6) == 0)
{
    if (cmd[6] == ' ')
    {
        fn = cmd + 7;
        while (*fn == ' ') fn++;
        if (*fn != '\0')
        {
            sfs_create(sfs_handle, fn);
            continue;
        }
    }
}
else if (strncmp(cmd, "remove", 6) == 0)
{
    if (cmd[6] == ' ')
    {
        fn = cmd + 7;
        while (*fn == ' ') fn++;
        if (*fn != '\0')
        {
            sfs_remove(sfs_handle, fn);
            continue;
        }
    }
}
printf("Unknown/Incorrect command: %s\n", cmd);
printf("Supported commands:\n");
printf("\t\t\tquit\t\tlist\t\tcreate <file>\t\tremove <file>\n");
}

int main(int argc, char *argv[])
{
    char *sfs_file = SIMULA_DEFAULT_FILE;
    int sfs_handle;

    if (argc > 2)
    {

```