

```

redirect: true

x-icmping: &icmping
  type: icmp
x-httpservice: &httpservice
  type: http
  method: GET
  check_interval: 45
  timeout: 10
  expected_status: 200
  allow_notifications: true
  notify_after: 2
  notify_all_changes: true
  public: true
  redirect: true

```

```

x-icmping: &icmping
  type: icmp
  - name: ICMP Kafka
    domain: kafka
    <<: *icmping

```

```

- name: TCP Kafka 9092
  domain: kafka
  port: 9092
  <<: *tcpervice

```

```

- name: ICMP opensearch
  domain: opensearch
  <<: *icmping

```

```

- name: TCP opensearch 9200
  domain: opensearch
  port: 9200
  <<: *tcpervice

```

```

- name: TCP opensearch 9600
  domain: opensearch
  port: 9600
  <<: *tcpervice

```

```

- name: HTTP opensearch
  domain: https://admin:admin@opensearch:9200
  <<: *httpservice

```

```

- name: ICMP redis
  domain: redis
  <<: *icmping

```

```

- name: TCP redis 6379
  domain: redis
  port: 6379

```




Figure 5: Services *Status* page imported by statping

```
<<: *tcpervice
```

Now refresh the statping-ng *Status* page and you should see the new servers are being monitored as shown in Figure 5.

Status page black box monitoring is a logical first step when running modern complicated IT setups. Monitoror is a quick setup solution for a few servers/services and enables binary decision making of what and where things are failing. Vigil adds more functionalities over Monitoror to probe a large number of infrastructure endpoints. Statping-ng goes further and provides more user-friendliness and professional black box monitoring, giving tough competition to expensive enterprise solutions.  

References

- <https://github.com/statping-ng/statping-ng>
- <https://github.com/statping-ng/statping-ng/wiki>

By: Ankur Kumar

The author is a passionate researcher of free and open source software. He loves to explore cutting-edge technologies, ancient sciences, quantum spirituality, various genres of music, mystical literature and art.