




Figure 3: Onboarding VNF catalogue

```
auth_url: 'http://localhost/identity'
username: 'nfv_user'
password: 'devstack'
project_name: 'nfv'
project_domain_name: 'Default'
user_domain_name: 'Default'
cert_verify: 'False'
```

Figure 4: VIM configuration file

Step 7: We are now ready to instantiate a TOSCA template by giving a name to the VNF, the template to be used, and the name of the VIM that we created now. Figure 5 shows the VNF deployment.

Step 8: Deploy the VNF and once successful it will look like what's shown in Figure 6.

One can check the details of the launched VNF by selecting the VDU detail tab.

Step 9: One just needs to click on the desired instance to be able to interact with it. The instance will be visible in the console. Figure 7 shows

VNF Name *
openwrt

Description
Deploys a VNF.
If the VNFD template is parameterized, upload a yaml file with values for those parameters.
If the VNFD template is not parameterized, any yaml file uploaded will be ignored.
If a configuration yaml file is uploaded, it will be applied to the VNF post its successful creation.

VNF Catalog Name
sample_openwrt

VNFD template Source
File

TOSCA Template File
Browse... No file selected.

VIM Name
openstack-nfv-vim

Region Name

Parameter Value Source
File

Parameter Value File
Browse... No file selected.

Configuration Value Source
File

Configuration Value File
Browse... No file selected.

Figure 5: VNF deployment




Figure 6: Running state of VNF