

```
/dev/mapper/NEW_VG-lvSwap swap swap defaults 0 0
```

You can use the *free* command to verify the changes.

#free



**Note:** If you try to extend/reduce the *lvSwap*, make sure you run *swapoff* first, then run *mkswap* and, finally, *swapon*.

—Sujith S Pillai,  
sujithpillai90@gmail.com



## Connecting Android phones to a Linux-powered computer

I was surprised to find that my newly bought Android phone was not able to connect to my Linux-powered laptop in file sharing mode. So I tried a few tricks, and would like to share these with those facing similar issues.

### Transferring files using *mtfs*

**Step 1:** Update your *udev* rules by seeing the details picked up from *lsusb*.

Open */etc/udev/rules.d/51-android.rules* as the root user in any text editor, and add the following line:

```
SUBSYSTEM=="usb", ATTR{idVendor}=="cyou-r-vendor-id",  
ATTR{idProduct}=="cyou-r-product-id", MODE="0666",  
OWNER=="cyou-r-username">
```

The product and vendor's ID can be fetched by running the *lsusb* command in the shell prompt.

I am using a Samsung Galaxy S4, and shown below are the details of my phone:

```
SUBSYSTEM=="usb", ATTR{idVendor}=="04e8",  
ATTR{idProduct}=="6860", MODE="0660", OWNER=="pranavam"
```

**Step 2:** Install MTP modules on your Linux computer, by executing the following command:

```
$sudo apt-get install mtpfs
```

**Step 3:** Install *gMTP*, a simple MTP graphical interface client, to browse and transfer files.

Execute the command to install the *gMTP* client:

```
$sudo apt-get install gmt
```

**Step 4:** Open *gmt* from the menu or use the *Run* window, and click the *Connect* option in the tool bar to connect to the device. Once successfully connected, you can enjoy transferring files from the device and vice-versa.



**Note:** You need a compatible USB cable to physically connect your phone and the computer.

### Transferring files using *SSH*

**Step 1:** Install *SSH* Server on your mobile

**Step 2:** Configure *SSH* Server

**Step 3:** Use any file browser on your Linux computer to access the files. To do so, open the file browser and type the address as *ssh://<<userid>>@<<ipaddress:port>>* where *ipaddress* is the address assigned to your Android phone, and the *port* is the number on which the *SSH* server is listening.



**Note:** You need your phone and computer to be connected to the same network either via Wi-Fi or via the direct Internet.

### Transferring files using *Wi-Fi Explorer*

**Step 1:** Install *Wi-Fi Explorer* on your mobile.

**Step 2:** Open the link provided by the app on your Linux-powered computer to browse the files on the phone's memory.



**Note:** You need your phone and computer to be connected to the same network either via Wi-Fi or via the Internet, directly.

—Pranavam Siddharthan,  
pranavam.s@gmail.com



## Downloading the dump of a website

If you want to download the dump of the website, 'some-name-of-site.org', you can make use of the following command in the Linux terminal:

```
wget --random-wait -r -p -e robots=off -U mozilla www.some-  
name-of-site.org
```

Here, the parameters are:

*--random-wait*: This causes the system to generate a random number, which represents the maximum time period that the system will wait to get a response.

*-r*: This recursively downloads all the links present in the pages of the given website.

*robots=off*: This does not follow the *robots.txt* associated with the website (if any).

*-U mozilla*: This indicates that the user agent is Mozilla.

—Mohammad Azimuddin,  
azim.chisty@gmail.com

END

## Share Your Linux Recipes!

The joy of using Linux is in finding ways to get around problems—take them head on, defeat them! We invite you to share your tips and tricks with us for publication in *OSFY* so that they can reach a wider audience. Your tips could be related to administration, programming, troubleshooting or general tweaking. Submit them at [www.linuxforu.com](http://www.linuxforu.com). The sender of each published tip will get a T-shirt.