



Starting HDFS daemons

```
C:\hdp\sbin>start-dfs.cmd
```

Start MapReduce or Yarn with the following command prompt:

Two command prompts will open, named `yarn` and `nodemanager`.

If the entire configuration and installation is successful, then open Internet Explorer to run Resource Manager and Node Manager at <http://localhost:8042> and Namenode at <http://localhost:50070>.

Hadoop is not a replacement for a database or a SAN file system.

MapReduce is not always the best algorithm:



For more information refer to the Apache Hadoop link in Reference [5]. 

- [1] <http://www.oracle.com/technetwork/java/javase/downloads/jdk7-downloads-1880260.html>
- [2] <http://www.microsoft.com/en-in/download/details.aspx?id=8442>
- [3] http://cygwin.com/setup-x86_64.exe
- [4] <http://www.apache.org/dist/hadoop/core/hadoop-2.2.0/hadoop-2.2.0-src.tar.gz>
- [5] <http://wiki.apache.org/hadoop/hadoopsNot>
- [6] <http://hadoop.apache.org/>
- [7] <https://svn.apache.org/view/hadoop/common/branches/branch-2/BUILDING.txt?view=markup>
- [8] <http://wiki.apache.org/hadoop/Hadoop2OnWindows>
- [9] http://en.wikipedia.org/wiki/Apache_Hadoop

Avinash works as a software development engineer at Dell R&D Centre, Bengaluru. He is interested in the automation and system management domains.

www.OpenSourceForU.com | OPEN SOURCE FOR YOU | JUNE 2014 | 59