

col-md-1	col-md-1	col-md-1	col-md-1	col-md-1	col-md-1	col-md-1	col-md-1	col-md-1	col-md-1	col-md-1	col-md-1
col-md-8								col-md-4			
col-md-4				col-md-4				col-md-4			
col-md-6						col-md-6					

Figure 1: Grid System Layout

- **Container:** This is a place where content can be stored in Bootstrap!
Container here is a Bootstrap class, which sets the page width at various media query breakpoints:

```
<div class='container'>Page Content...</div>
```

The basic features of the grid system are:

- **Responsive**
- **Mobile-first fluid grid system**
It appropriately scales the page up to 12 columns based on the device or view-port size. This system uses predefined classes for easy page layout options, through a series of rows and columns that house the content, as shown in Table 1.
- **Based on the device used, the corresponding classes are to be included.** This fluid grid comes with the feature of both nesting and offsetting.

```
<div class='row'>
//Divs inside a 'row' sum up to 12
<div class='col-md-6'>Div Content</div>
<div class='col-md-6'> //Nesting of divs internally
<div class='col-md-6'>Nested div 1</div>
<div class='col-md-6'>Nested div 2</div>
</div>
</div>
<div class='col-md-6 col-md-offset-4'>Div with offset of 4
columns</div> //Offsetting divs
```

- **Typography:** All basic tags like 'h1', 'h2' (headings), 'p', 'small' and 'strong' are supported here. List elements like 'ul', 'li' and 'ol' are also present.
Additional functionality that comes with Bootstrap is the alignment of the elements.

```
<p class='text-left'>Para Content</p>
//Left aligned text
<p class='text-right'>Para Content</p>
//Right aligned text
```

- **Table:** Bootstrap's table classes make a simple HTML table more attractive:
 - **table-striped:** gives alternate striped colours to the rows.
 - **table-bordered:** borders for the table.
 - **table-hover:** highlights the row which is hovered.
- **Forms:** Just as with the tables, Bootstrap plays the

role of making the form more user friendly. Forms can be displayed in various formats by using the following classes:

- **form-inline:** left-aligned and inline block controls
- **form-horizontal:** the form elements behave as grid rows
- **checkbox-inline:** cluster of check-boxes aligned side by side

Form states like 'input-focused' or 'disabled' form fields are also included.

Form validations like error or success can also be applied by using classes like 'has-error', 'has-success', etc.

Images: It displays the same image in different shapes.

This is what Bootstrap classes can deliver:

- **img-rounded:** image with rounded corners
- **img-circle:** circular image
- **img-thumbnail:** image in the form of thumbnail
- **Helper classes:** Functionality for generic icons like *close* and *drop-down* is obtained by using these helper classes alongside the elements.
- **Responsive utilities:** These utility classes help to toggle content across view-port breakpoints.
 - **visible-xs:** Visible for only small devices and hidden for others
 - **visible-md:** Visible only for medium-sized devices
 - **hidden-xs:** Hidden only on small devices and visible on the rest.
- **Print classes:** Similar to the classes discussed above, print classes can be used for toggling specific content for printing.

Extensive list of components

Bootstrap provides over a dozen reusable components that can pump life into a website. Web developers have to simply find out the right piece of code and fit it into the structure they are working on. In addition to this, a lot of the styling and design aspects are already taken care of.

Some of the components pre-styled are:

- **Drop-downs:** Toggleable, contextual menu for displaying lists of links. Here is an example:

```
<div class="dropdown">
<button class="btn dropdown-toggle sr-only" data-
toggle="dropdown"> Dropdown<span class="caret"></span></button>
<ul class="dropdown-menu" role="menu">
<li><a href="#">Action</a></li>
</ul>
</div>
```

- **Button groups:** Groups a series of buttons together on a single line with the button group. For example, you can wrap a series of buttons within a div using a 'btn' in 'btn-group'. See Figure 2.
- **Nav:** All nav components here, like *tabs* and *pills*, have shared