

markup, starting with the base `nav` class. See Figure 4.

- **Tabs:** Add a `nav-tabs` class to an unordered list and the list items in it act as `tabs`. See Figure 3.
- **Pills:** Similar to `tabs` but with a class `nav-pills`, and the list items act as pills.
- **Navbars:** They are responsive meta components that serve as navigation headers for your application or site. They begin collapsed (and are toggleable) in mobile views and become horizontal as the available view-port width increases.

```
<nav class="navbar navbar-default" role="navigation">
  <div class="navbar-header">
    <button type="button" class="navbar-toggle" data-
      toggle="collapse" data-
      target="#bs-example-navbar-collapse-1"></button>
    <a class="navbar-brand" href="#">Brand</a>
  <!-- Collect the nav links, forms, and other content for
    toggling -->
  </div>
</nav>
```

- **Breadcrumbs:** Indicate the current page's location within a navigational hierarchy. By adding a 'breadcrumb' class to an ordered list, the list items will act as a breadcrumb.
- **Pagination:** Provides pagination links for your site or app with the multi-page pagination component. See Figure 5.

```
<ul class="pagination">
  <li><a href="#">&laquo;</a></li>
  <li><a href="#">1</a></li>
  <li><a href="#">2</a></li>
  <li><a href="#">&raquo;</a></li>
</ul>
```

- **Labels and Badges:** Easily highlight new or unread items like in the case of mails. See Figures 6 and 7.

```
<span class="label label-default">Default</span>
<span class="label label-primary">Primary</span>
<span class="label label-success">Success</span>
Or
<a href="#">Inbox <span class="badge">42</span></a>
```

- **Progress bars:** Provide up-to-date feedback on the progress of a workflow or action. These are generally 'div' elements with 'progress' and 'progress-bar' classes. Input the progress value as the width attribute and see the bar doing its work. See figure 8.
- **Well:** To be used on an element to give it an inset effect:

```
<div class="well">...</div>
```

- **Media object:** Abstract object styles for building various



Figure 2: Button groups



Figure 3 and 4: Navigation components




Figure 5: Pagination



Figure 6: Labels & Badges



Figure 7: Labels and Badges



Figure 8: Progress bar



Figure 9: Media object




Figure 10: Input groups

types of components (like blog comments, tweets, etc) that feature a left- or right-aligned image alongside textual content. You can include an image inside a 'div' with class as 'media', and the rest is taken care by Bootstrap. See figure 9.

- **Input groups:** Extends form controls by adding text or buttons before, after or on both sides of any text-based input (Figure 10).

```
<div class="input-group">
  <span class="input-group-addon">@</span>
  <input type="text" class="form-control"
    placeholder="Username">
</div>
```

JavaScript

Bootstrap comes with a bunch of predefined JavaScript plugins. These can be accessed individually (separate .js files) or via the main bootstrap `js/bootstrap.min.js`, which contains all these plugins.

Just input the content into the Bootstrap templates, and include them into the HTML code. These plugins are accessible via the mark-up API without writing any JavaScript code, and you can see them in action.

Let's have a brief look at the plugins:

- **Modal:** These are streamlined, but flexible, dialogue prompts with the minimum required functionality and smart defaults: