

mouse movements on the server. Please follow the steps given below to do so.

- Click on the 'Configure Server' button.
- Then click on the 'Advanced server settings' tab.
- Tick the 'Use relative mouse moves' check-box and press the 'OK' button.

In addition to this, you can try to lock the mouse to your client screen by pressing the 'Scroll Lock' key.

5) How do I send a debug output to the developers?

If Synergy is not working as expected and you want help from the community, then provide some debug logs while describing the problem. That makes troubleshooting really easy. Please follow the steps below to capture and send debug logs.

- Click on the 'Edit' menu and select 'Settings'.
- Change the 'Logging level' drop-down box to 'Debug' or higher. The debug output should appear in the 'Log' area of the main window (if not, try restarting the program).
You can copy and paste the text from this window.

If you want to delve deeper into Synergy or want to contribute to the Synergy project, visit the official website <http://synergy-project.org/> 

By: Narendra Kangralkar

The author is a FOSS enthusiast and loves exploring anything related to open source. He can be reached at narendrakangralkar@gmail.com

...continued from page 92

Table 1: A comparison of mobile application development platforms

	OpenMEAP	iOS SDK	Java ME
Licensing model	Open Source LGPL license	Apple tools are free for an Intel-based Mac. AppCode ~ Commercial licenses available.	Free
Programming language	HTML5, CSS3, JavaScript	Objective-C	Java
Cross-platform deployment	iOS (iPhone, iPad, iPod Touch), Android, BlackBerry	iPhone, iPad, iPod Touch	Yes, although many VM implementations have device specific bugs necessitating separate builds
Availability of emulator	Emulator is available using native emulators	Bundled with iPhone SDK, integrated with Xcode IDE	Free emulator, Sun Java Wireless Toolkit, mpowerplayer
Availability of IDE	Xcode, Eclipse	Xcode, AppCode	Eclipse, LMA NetBeans Mobility Pack

OpenMEAP on OpenShift (Platform as a Service)

The following are some abstract level steps for the installation of OpenMEAP on OpenShift:

- Create an account on <http://openshift.redhat.com> and namespace; install Git and Ruby.
- Install *rhc* client tools:

```
sudo gem install rhc
```

- Create an application:

```
rhc app create -a openmeap -t jbossews-2.0 --from-code git://github.com/OpenMEAP/openshift-openmeap-quickstart
```

- Start the server:

```
rhc app start -a openmeap
```

- Check out your OpenMEAP install.
- Update *Global Settings* and *Cluster Nodes*.
- Build the mobile clients. 

References

- [1] http://en.wikipedia.org/wiki/Mobile_enterprise_application_platform
- [2] <http://www.openmeap.com/faq/>
- [3] http://wiki.openmeap.com/index.php?title=Get_-_Started_-_Guide
- [4] https://aws.amazon.com/marketplace/pp/B00DNF8EC0/ref=tsm_openmeap
- [5] http://wiki.openmeap.com/index.php?title=OpenMEAP_-_OpenShift_-_Install
- [6] https://aws.amazon.com/marketplace/seller-profile/ref=dtl_pcp_sold_by?ie=UTF8&id=ab3d9d85-c879-45d4-bbeb-07ca973018d
- [7] http://en.wikipedia.org/wiki/Mobile_application_development

By: Priyanka Agashe and Mitesh Soni

Priyanka Agashe is a software engineer and she loves to explore new technologies. Her professional spheres of interests include Oracle Apps, Electronics, and Robotics.

Mitesh Soni is a Technical Lead and he likes to explore new technologies and open source products. Blog: <http://clean-clouds.com>