



Figure 1: Advanced Proxy settings




Figure 2: URL Filter block categories

(SCP) them to /root on the IPCop box. Get a command prompt on the IPCop box via SSH (or Putty).

Extract each of the tarballs with `tar -xzf tarballname`. Change to each of the extracted folders in turn (`ipcop-admproxy`, `ipcop-urfilter`, `ipcop-updatexdrator`, `ipcop-calamaris`), and run `/install` in each of them to install that add-on. Subsequent configuration is via the IPCop Web GUI being prerequisite for various other add-ons, install ADV Proxy first followed by others.

AdvProxy

In the Web GUI, go to *Services – Advanced Proxy*. The important settings under various categories are given below.

Common settings:

- Enable this add-on on the Green network (and any others if needed).
- Whether or not to use Transparent mode (no change in client browser connection settings is required, though the browser must be configured to use the IPCop proxy port).
- Proxy port (default TCP 800).

Other settings include:

- **Upstream Proxy:** To be used if the Internet connection is via a proxy server. Here, the username and password can also be provided.

- Log settings: To enable/disable proxy logs.
- Cache management: Define cache size.
- Network-based access control: Allows you to control Internet access only to the defined subnets (or IP addresses). For example, 192.168.51.0/27 will allow Internet access to

192.168.51.1 to 192.168.51.30. (Some clients can be banned by entering their IPs under 'Banned IP addresses'.)

- Time restrictions: Internet access can be allowed only during certain time periods.
- Authentication methods: IPCop supports user authentication methods such as Local (IPCop username and passwords), LDAP/RADIUS (external LDAP server), Windows (Windows Domain Controller), etc.

URL Filter

To enable URL Filter, go to the bottom of *Services – Advanced Proxy* and select *Enable URL Filter*. Go to *Services – URL Filter* for more settings. Various configuration items and features are shown in Table 2.

Table 2: URL Filter features/configuration

Feature	Details
Block categories	Choose the unwanted category to block the corresponding web-sites. The blacklist database can be scheduled to be updated daily/ weekly or monthly. The default list has only a few block categories. Once updated, you will see a detailed list to block from.
Blacklist and whitelist	If a blacklisted website is to be accessible, add it to 'custom whitelist'; to ban an accessible website, add it to 'custom blacklist'.
Custom expressions list	Add words to be blocked. For an example, add <i>cricket</i> , <i>score</i> and <i>scores</i> under this to block sites featuring these words.
File extension blocking	Block executable, compressed or audio/video file downloads by selecting the corresponding check-box.
Network-based access control	Lets some users browse the Web unrestricted, and can block others from using the Web at all.
'Block Page' settings	The message a user receives when trying to access a blocked website.
Log	Enable it to track who is trying to access blocked websites.
URL Filter maintenance	Blacklist update settings, configure a daily/weekly/monthly update schedule and choose from four sources.
Backup URL Filter	Backup settings and complete blacklist, which can be restored later, or on a new IPCop installation.

URL Filter allows three categories of Internet access based on the IP address—filtered access, unrestricted access and no access (banned). One very important provision is that all sites from the custom whitelist can be accessed by banned IP addresses if you enable *'Allow custom whitelist*