



KNOWHOW?



Q I am a regular reader of *LINUX For You*. I currently use Ubuntu 10.4 along with Windows 7 as a dual boot. I am working with an ISP and often use networking tools like FPing, AlertPing, etc. However, I am unable to find networking tools that are easy to install and configure in Ubuntu. Due to this I have no choice but to use Windows, though I wish to work on Ubuntu. Can you suggest some networking tools that I can easily install in Ubuntu so that I start using Ubuntu as my default OS?

—Chirag Vaidya,
chiragthe1@gmail.com

'Fping' is a tool designed to run only on the MS Windows platform. For Linux OSs such as Ubuntu, you have lots of other FOSS tools that will help you map, monitor and manage your network. To name a few, there are Fping, Nmap, Zenoss, Nagios, Icinga, etc. For more details on features, configuration and how to install these tools, you can always search the Internet and get help. I am sure you can achieve all that you need to with a combination of these tools,

if not with just one of them.

Q I have installed Fedora 14 on my laptop. It is working well but many a time the Firefox browser stops responding. Can you please let me know how to stop or shut down the browser when it is in this state?

I know it can be stopped using the 'kill' command but I do not know how to use it.

—Praneeta Khare,
praneetakhare@gmail.com

Yes, you can shut down the unresponsive Firefox browser by using the 'kill' command.

To 'kill', you need to know the process ID (PID) of Firefox. Given below are the commands that will help you to know the ID and kill the process.

```
#ps ax | grep firefox
```

By running this command you can get the process ID of Firefox.

Now, to 'kill' the process you need to run the following command:

```
#kill -9 PID
```

For example, the output for '#ps ax | grep firefox' will be as given below:

```
6158 pts/8    S+   0:00 grep firefox
30308 ?        S    0:00 /bin/sh /
usr/bin/firefox
```

Here, the PID of Firefox is 30308

Now, to stop Firefox, you need to run the following command:

```
#kill -9 30308
```

This will stop your unresponsive Firefox browser.

Q I am using the Ubuntu OS on my PC and was trying to use 'automake' on a set of codes. But unfortunately, when I run './autogen', I get the following error:

```
src/Makefile.am:92:  libtool library
used but 'LIBTOOL' is undefined
```

```
src/Makefile.am:92:  The usual way to
define 'LIBTOOL' is to add 'AC_PROG_
LIBTOOL'
```

```
src/Makefile.am:92:  to 'configure.ac'
and run 'aclocal' and 'autoconf' again.
```

```
src/Makefile.am:92:  If 'AC_PROG_
LIBTOOL' is in 'configure.ac', make sure
```

```
src/Makefile.am:92:  its definition is in
aclocal's search path.
```

—Sunil Verma,
sunil28_funny@rediffmail.com

Please check if you have the 'Libtool' installed on your system. If not, then install it and try running './autogen'.

To install it, you can run the following command:

```
apt-get install libtool
```

Hope this helps. 