

Figure 1: Editing /etc/apt/sources.list



Figure 2: Contents of /etc/skel

stored in `.gconf/desktop/gnome/background/%gconf.xml`. Copying these files (preserving the folder structure) to the skeleton folder solves the problem.

If there are other settings that you need to preserve, you can use the same method, since almost all GNU/Linux software stores user preferences in the home folder. You can also edit the main system configuration files to customise default settings for new user accounts.

Building the system

Having completed all the initial steps, let us move forward to the final steps to build our release images. By default, Remastersys stores the builds, and necessary files for the build, in the 'build' folder `/home/remastersys/remastersys`. If this folder is not present, it is created on first run.

The final building process is divided into two steps. First, we build the 'unpacked' filesystem of the image, and then we *pack* it. Though we can do this in a single step, it is not advisable, in case you need to hack the boot-loader configuration before the final packing. Now, let's start!

Creating the filesystem

Here, let's create the filesystem for the live disk we are




Figure 3: Editing %gconf.xml

making. This is very processor-intensive; so ideally, don't run other programs in parallel. Execute the following code:

```
sudo remastersys dist cdfs
```

This will start the filesystem creation process. By default, it is built in the *ISOTMP* sub-folder of the build folder. Inside the *ISOTMP* folder, you will find the *isolinux* folder, which contains the boot-loader for the disk. The configuration is stored in *isolinux.cfg*, and the *splash.png* file is the splash image used for the distro boot-loader. You can replace *splash.png* with an image of your choice, but only use an image of the same resolution and colour depth.

Packing the filesystem

Now we will pack this filesystem into a disk image, which can be burned to a CD/DVD depending on the size. Issue the following command in the terminal:

```
sudo remastersys dist iso build.iso
```

Here, *build.iso* is the desired name for the ISO image. Like the previous step, this is also very processor-intensive. After completion, your ISO image will be in the Remastersys build folder, ready to be tested. Enjoy your distro!



Note: After you have backed up your disk image, you can run `sudo remastersys clean` to clean up the non-necessary files.



By: Dhananjay Navaneetham

The author is a huge fan of free software. He loves reading and hacking.