

Figure 2 : Google Web Application Project




Figure 3: Google SDK settings for Web Applications

file runs with Java 7. With the Eclipse IDE, Google plug-in for Eclipse can be used to create, test and upload GAE applications. The Python SDK available as a Zip file runs with Python 2.7. It is implemented in pure Python, and




Figure 4: Web Application Structure for GAE



Figure 5: Local environment of GAE



Figure 6: Execution of GAE Application in the local environment

runs on Windows, Mac OS X and Linux. The PHP SDK available as a Zip file with PHP 5.4 runs on any platform including Windows, Mac OS X and Linux.

Setting up Eclipse and configuring a Google plug-in for Eclipse

Download the Eclipse IDE for Java EE Developers from <http://www.eclipse.org/downloads/>

Install the Google plug-in for Eclipse and follow instructions given at: <http://code.google.com/eclipse/docs/install-eclipse-3.6.html>. Click Next to review the items to be installed. Then, click Next to review licences and select the radio button - *I accept the terms of the Licence Agreement*. And then click *Finish*. It will take some time to install the GAE environment in your local system. Click New to select Google and then click to select Web Application Project.

Deselect the Google Web Toolkit from the Google SDK section. Click *Finish*.

It is a normal Web application structure and the only difference is *appengine-web.xml*

```
<?xml version="1.0" encoding="utf-8"?>
```