

Checking connectivity... done

Now, let's check if the plug-in is installed correctly:

```
C:\Users\Admin\vim\vimfiles\bundle\vundle>dir
Volume in drive C is Windows7_OS
Volume Serial Number is 52DF-20FF

Directory of C:\Users\Admin\vim\vimfiles\bundle\vundle

30-11-2013 18:16 <DIR>.
30-11-2013 18:16 <DIR>.
30-11-2013 18:16 22 .gitignore
30-11-2013 18:16 <DIR> autoload
30-11-2013 18:16 <DIR> doc
30-11-2013 18:16 1,075 LICENSE-MIT.txt
30-11-2013 18:16 4,577 README.md
30-11-2013 18:16 <DIR> test
               3 File(s) 5,674 bytes
               5 Dir(s) 102,582,751,232 bytes free
```

```
C:\Users\Admin\vim\vimfiles\bundle\vundle>
```

The above output indicates that the plug-in has been installed correctly. Remember the `_vimrc` file we had modified in our first article? Add this under the *Personal Settings* section. These are required settings without which Vundle will not work as expected. Please look up the Vundle documentation for more details/options.

```
"Personal Settings.
"More to be added soon.
"Vundle settings start
filetype off
set rtp+=C:\Users\Admin\vim\vimfiles\bundle\vundle
call vundle#rc()
Bundle 'gmarik/vundle'
"Vundle settings end
```

Now let's make a couple of changes in the `vundle.vim` file so that the plug-ins get correctly installed. This file is located under the `'autoload'` folder under the `'vundle'` folder (not the `'autoload'` under `'vimfiles'` folder, which is a different one). In my case, the `'vundle.vim'` file is located as shown below:

```
C:\Users\Admin\vim\vimfiles\bundle\vundle\autoload\vundle.vim
```

Copy the file and save it with a different name in the same location so that in case something goes wrong, we can revert to it. This is the file we will not touch. I have named it `'vundle_orig.vim'`. You can give it any name. Now, open the `'vundle.vim'` file and at line 43, you will find the following text:

```
let g:bundle_dir = len(a:000) > 0 ? expand(a:1, 1) :
```

```
expand('$HOME/.vim/bundle', 1)
```

Change the `'$HOME/.vim/bundle'` to wherever you have the `'bundle'` folder. In my case, it's `'C:\Users\Admin\vim\vimfiles\bundle'`. Note the single quotes—they are required. After making the change, the line will look like what follows:

```
let g:bundle_dir = len(a:000) > 0 ? expand(a:1, 1) :
expand('C:\Users\Admin\vim\vimfiles\bundle', 1)
```

Save the `vundle.vim` file. Now open gVim. If you get any errors, please recheck if you've followed the steps correctly. We will now install the plug-ins using Vundle. You can still use Pathogen if you want to, but I like the way Vundle lets me install the plug-ins from gVim itself. Plug-ins can be removed or cleaned using Vundle, and you can include the plug-in names in the `_vimrc` file to install them.

For example, we can install all the plug-ins given in here at one go by adding the following to `_vimrc` and running the `:BundleInstall` command by itself:

```
"Extra Bundles
Bundle 'itchyny/lightline.vim'
Bundle 'scrooloose/nerdtree'
Bundle 'scrooloose/syntastic'
Bundle 'Shougo/neocomplcache.vim'
Bundle 'c9s/perlomni.vim'
```

But for now, we will install these one by one, as shown below. *Vim lightline*: This plug-in has been written by 'itchyny'. It enhances the status bar and shows a lot of useful information. It's an excellent plug-in. Go to github.com and search for Vim lightline. Click on the first link there so that it leads you to <https://github.com/itchyny>

Now, open gVim and type the following at the command mode:

```
:BundleInstall 'itchyny/lightline.vim'
```

You will see some message in the status bar stating 'processing' and so on. Once it's installed, it will show a 'Done' message. Whenever you install any plug-ins, you have to just put in the plug-in name right after the `BundleInstall` command.

Reopen gVim and you'll see a nice *Status* line. Depending on the mode you are in and the file you have opened, the status bar will change colour and show the mode, the file name, the file type and some more information.

If you want to turn off the status mode that appears below the status bar, add the `'set noshowmode'` option in your `_vimrc`.

Syntastic: This plug-in has been written by 'Scrooloose'. Once again, go to github.com and search for the keyword 'syntastic' or type `:BundleInstall` at the command mode, and then type `syntastic`. Tab completion works for many of the