

code as shown below:

```
public class MyView extends ViewPart {

    @Override
    public void createPartControl(Composite parent) {
        Text text = new Text(parent, SWT.BORDER);
        text.setText("I am getting comfortable with RCP !");
    }

    @Override
    public void setFocus() {
    }
}
```

You have to add the view to your perspective. To create a perspective, add the extension `'org.eclipse.ui.perspectiveExtensions'` to your plug-in.

Right-click `'*(perspectiveExtension)'` -> `New` -> `View`. Maintain your view ID, which is `'com.lfy.rcp.first.MyView'`. Make the view relative to `"org.eclipse.ui.editors"`, set the relationship to `"top"` and provide the maximum ratio as `"0.05f"`.

Now run the application.

Now let's add a menu to this. We need some commands to fall under a menu. Let's start creating a command.

Go to *extensions* and type *commands* to choose the available extension points. Then create a new command called `'Exit'` with the ID `com.lfy.rcp.first.commands.exit`. Click on the *defaultHandler* to create a handler class for the command. Type in the following code:

```
public class ExitHandler extends AbstractHandler {

    @Override
    public Object execute(ExecutionEvent event) throws
    ExecutionException {
        HandlerUtil.getActiveWorkbenchWindow(event).close();
        return null;
    }
}
```

Make sure that the following functions in the handler class return true, for the command to be executed.

```
public boolean isEnabled() {
    return true;
}

public boolean isHandled() {
    return true;
}
```

Further, to use the handler in the menu, add the menu extension point, create a new *menuContribution* and, finally,




Figure 3: Output of RCP application




Figure 4: Output after adding menu

add a new menu to that as shown in figure 4.

Click on (*menuContribution*) and set locationURI to `menu:org.eclipse.ui.main.menu`.

Create a label `'File'` with id `fileMenu`. Right-click the menu, select `New` -> `Command`. Maintain your *commandID*. Set the label to `'Exit'` and the tooltip to `'Exits the application'`. Run the application. You can see the menu appearing with the menu item `'Exit'`. Click on `'Exit'` and the application exits. To this you can add many features like a context menu, table editors and views, dialogues and wizards, all of which end up resulting in a robust and sophisticated tool built by YOU!!

Getting equipped with the right set of skills, understanding the underlying technology, experimenting with new features, debugging errors with the help of system support, the help of bloggers and cracking it with your grey cells—it requires all of this as well as immense perseverance to master a tool like Eclipse. 

By: Bharathi Krishnamurthy

The author was a technical lead and then a test manager with Wipro for about 7 years. For the last couple of years she has been a freelancer working on multiple domains like db design and coding, Eclipse based tooling and iOS applications. She can be reached at bharathi.prasanna@hotmail.com