



Powered By

facebook

www.facebook.com/linuxforyou

Rahul Kondi:

Has anybody tried installing Mint 15 on a new Win8 machine? I ran the installation successfully, but on reboot, the OS isn't listed. The GRUB screen doesn't even appear. The secure boot option is disabled. Any workaround? It's a Sony Vaio Fit 15.

Like · comment



Mikhail Abbas: If Windows 8 is installed in UEFI mode, install Linux Mint 15 in UEFI too. If Windows 8 is installed in legacy mode, then Mint 15 also has to be installed in legacy mode. Try running boot repair after the installation from LiveCD.



Akshay Sharma: First check whether you have installed Linux Mint in legacy or EFI. If you have installed Mint in legacy, you can't run Win 8 in legacy. But if you have installed in EFI, then in boot menu, there is an option for default EFI OS.



Utsav Rana: Windows 8 upgraded with the UEFI BIOS may not support Linux boot loader. In order to tweak your BIOS, you can search for BIOS boot loader installation or just install the EasyBCD and configure to map your Linux system. It should work now.



Santhosh Baswa: There are two type of modes : 1 UEFI and 2 Legacy mode.



Paul Warwick: Don't buy any PC pre-installed with Windows! Hate it!



Utsav Rana: Hello everyone! I have installed Fedora 17 successfully but my DVD drive has been corrupted. Hence, I read an article to upgrade Fedora 18/19 from Fedora 17 using Fedora upgrade method. I upgraded Fedora 17 to Fedora 18 recently but it gives me error saying that there is 936 MB more space needed so I have shrinked one of my Windows drive and gained 2 GB of more space. Now can someone tell me how to format the partition /root or simply merge the existing /root partition. I don't want to format my whole Fedora because I have some complexity installing Fedora again in my laptop?

Like · comment



Akshay Tiwari: Extending /root partition won't help because the system is installed on / partition rather than /root. which is basically the home directory for the root user.



Vinit Shandilya:

What is the optimum buffer size for file I/O streams in TCP sockets? I was thinking of putting 16K in my Android client and server but file transfer performance drops steeply for file size above 1GB! Any help? Thanks!

Like · comment



Matthew George Ford: Interesting, I shall have to tinker around later with that.



Vinit Shandilya: Have you considered cache latency and memory block size? Because, that may play a critical role. By the way, I'm willing to expend some machine cycles if there's a scope of dynamic buffers depending upon file type and size. Any help would be highly appreciated! Thanks once again!



Sharad Nangia: Optimum size is 4096 bytes.



Nikhil Patil: Are you using FTP client library for transfer b/w android and server?



Vinit Shandilya: No! I'm using simple file I/O stream, and intermediate buffer of fix size. The program works fine, except the throughput drops with increase in file size.



Naveen Mightyboy: How can I run Apache in Linux?

Like · comment



Akshay Tiwari: Depends which linux distro you are using...For Fedora https://fedoraproject.org/wiki/Administration_Guide_Draft/Apache?rd=Docs/Drafts/AGBeta/Apache. For Ubuntu-<https://help.ubuntu.com/10.04/serverguide/httpd.html>.



Riya Patankar: May be this will help-https://fedoraproject.org/wiki/Administration_Guide_Draft/Apache?rd=Docs/Drafts/AGBeta/Apache.



Sri Ram: Mass Apache will not run in Linux. It will run only on road.



Karl Clinger: The Apache package name is different in the various distributions. In some, it is Apache while in others it is httpd. The installation varies between distros, too. What OS are you using?