




Figure 5: Kafka web UI cluster overview page




Figure 6: Kafka web UI broker page

You can log in to the kafka-kraft instance using the `ssh -oStrictHostKeyChecking=no ubuntu@kafka-kraft.local` command. Execute the command `multipass delete kafka-kraft` && `multipass purge` && `ssh-keygen -R kafka-kraft.local` to clean up everything when done with the local cloud VM.

I've created a wrapper script and various cloud configs to bring up fully configured local cloud VMs, based on Ubuntu 22.04 LTS, running Cassandra,

Consul, OpenSearch, Kafka, Nomad, Spark and Vault through a single command. To get started with the wrapper, just download the sources through `git clone https://github.com/richnusgeeks/devops.git` and give the command `pushd CloudInABox/Multipass/scripts` (you could use `cd` instead of `pushd` but I prefer the latter for its intelligence). The wrapper script execution should show you a help screen (Figure 7).

All the local VM instances developed with the wrapper script are configured with Monit, Docker and Compose in addition to the chosen target role. Let's build a fully configured consul dev mode local cloud VM with the command `./create_multipass_machines_stack.sh create consuldev`. Once the local cloud VM instance is up, you can access the Monit and Consul web UIs on `consuldev.localhost:2812` (credentials: