

operations are carried out through a user-friendly graphical interface. However, for developers and IT administrators, understanding the behind-the-scenes mechanics of these API calls is essential.

Accessing the Graph API

There are two primary methods to access the Graph API.

Delegated permissions: This method allows an application to access the API on behalf of the signed-in user. It's particularly useful when the application needs to perform actions as the user.

Application permissions: This approach enables the application to run as a background service or daemon, without needing a user to be signed in. It's ideal for automated processes and services.

For example, to access the Graph API using delegated permissions, developers need to use an authorisation link. This link includes the tenant ID and client ID, among other details, and looks something like this:

```
curl --location --request GET 'https://login.microsoftonline.com/{tenant}/oauth2/v2.0/authorize?client_id=11111111-1111-1111-1111-111111111111&response_type=code&redirect_uri=https%3A%2F%2Flocalhost%2Fmyapp%2F&response_mode=query&scope=offline_access%20User.Read%20Mail.Read&state=12345'
```

In this URL, permissions like `Mail.Read` can be adjusted based on the access level of the user in the Entra platform. For instance, if the Entra ID does not have permission to read emails for guest users, this scope should be removed.

HTTP Error 404.0 - Not Found

The resource you are looking for has been removed, had its name changed, or is temporarily unavailable.

Most likely causes:

- The directory or file specified does not exist on the Web server.
- The URL contains a typographical error.
- A custom filter or module, such as URLScan, restricts access to the file.

Things you can try:

- Create the content on the Web server.
- Review the browser URL.
- Create a tracing rule to track failed requests for this HTTP status code and see which module is calling SetStatus.

For more information about creating a tracing rule for failed requests, click [here](#).

Detailed Error Information:	
Module	IIS Web Core
Notification Handler	MapRequestHandler
StaticFile Error Code	0x80070002
Requested URL	http://localhost:80/myapp/?code=0.AQQAoBzDhDusrk6tEKNRFveQJl2zYYa2eE7tQZYIjZOwHorElfUnvVhl-O-la6bz5r7L_cVh5tGG5RLaG93tGwNlM_6Fg_d2i1fUImx3aMAnKqe14pl06ocdvYfTABFTJ6ZQxiROZ1IYTS3pWsH3UD2AQw9QLGJhha_Vg1b1YCUGqUrPhBbzLX4YgadAXuVGxLWRFwAncU4D7jopYA8F0ztrnz4emdIkK7tWv7s_AZXW7KIFxqW1KroQFvVTJGoUBuSs3KMI2NxHl5UM5N-GspCgR47E0Cm48YX8KEE75M9VOXB0dvYJEOlyzk8IBV4Vuv_Apch7Lo-Ws3VnE0mgOqQi6A32QDvcUsuxsfplc-bfw5ffX7vGi9d2S3ZFL3MdiPFd4pvc_mtb38da3AL-aGeEceCE502Lp77naeLx_jBQpsTVHD9UA8CC8P2CO-6TgO9lL8ful_REDO8G4O3WCypAZKa6kNVRHk4WSldmVIA5vnI3Pn1u2eJPj-t
Physical Path	C:\inetpub\wwwroot\myapp\
Logon Method	Anonymous
Logon User	Anonymous

More Information:

This error means that the file or directory does not exist on the server. Create the file or directory and try the request again.

[View more information »](#)

Figure 1: In the request URL, we can see the authorisation code being sent, which is crucial for accessing the Graph API