

A few important Git commands

Description	Command
Set a user name	<code>git config --global user.name "Mitesh Soni"</code>
Set email address	<code>git config --global user.email "xxxxxxxx@xxxxx.com"</code>
Initialise a Git repository	<code>git init</code>
Clone a repository	<code>git clone https://github.com/xxxxxxxx/Angular9786-DevOps</code>
To verify the status of files in a repository	<code>git status</code>
Add files in the current directory for commit operation	<code>git add</code>
Commit files	<code>git commit -m "First commit in the repository"</code>
List branches	<code>git branch</code>
Switch a branch	<code>git checkout</code>
Create a new branch	<code>git branch new-branchname</code>
Merge current branch with target branch	<code>git merge target-branch</code>
Show all commits	<code>git log</code>
Save modified and staged changes	<code>git stash</code>
Fetch and merge any commits from the remote branch	<code>git pull</code>

It is still challenging to write commit messages in Git. This creates chaos if best practices are not followed and can become complicated over time.

Jenkins

Jenkins provides a simple way to create a pipeline that includes continuous integration and continuous delivery. It offers integration with the tools used in application life cycle management to automate all activities, starting from build to testing and deployment.

Jenkins characteristics

Open source	Yes
Licence	MIT License
Type	DevOps practices implementation, automation server, orchestration tool
Written in language(s)	Java
Operating system supported	All
Stable release	2.269
Website	https://www.jenkins.io
Companies and projects that use Jenkins	CloudBees, Cloudera, Dell, GitHub, NASA, Netflix, Sony, SpaceX

Jenkins arguably supports all languages, as it provides plugin based architecture. In case plugins are not available, CLI or command execution helps to set up continuous practices. Organisations can write their plugins to integrate internal tools with Jenkins.




Figure 1: Jenkins Blue Ocean