

Share Your Terminal Output Using this Secure Application

The authors describe in detail how to build an application that shares the terminal output on the Internet, and can also search the files that are shared.



Most educational institutes in India have mandatory projects for students as part of their courses. Working together for a project generally involves sharing the terminal outputs, which can be cumbersome for the teams collaborating with each other. The Web application described in this article shares the terminal output on the Internet and can also search the files that are shared. This application can be used

by students and teachers, as well as by engineers working with IoT devices. It has been designed such that it can help share any kind of file format.

The motivation behind the project described in this article was to be able to incorporate all these tasks so that it could support many console output systems, ranging from education to IoT. Its GUI features ensure the system can be used without any technical knowledge.

The name of this application is 'Real_time_sharing'. It is Web application software, which helps to share the terminal output. By registering in the application through an email ID, the student is allowed to login and share the output files to the database using MongoDB. And by logging in, the faculty can access all the files shared by every student, evaluate the work based on its novelty, and then upload the evaluated files.

The developed application is platform-independent. It supports durability, monitoring and a secure connection with ssh enabled databases, i.e., MongoDB. We have provided the login system for the authentication of appropriate users.

The workflow of the application is depicted in Figure 1. The source code for this project is available at https://github.com/cmouli96/real_time_sharing. The setup is as follows.

System configuration

Ubuntu version 18.04LTS, 8GB RAM and 4 core CPU

Features

- Users can upload output files from the terminal in any format up to any size.
- The guidelines for the file creation are given.
- Users can download and delete the files from the database.
- Users can search the files from the database.
- Async/await mechanism is used to create a promise chain.




Figure 1: Workflow of the application