


Setting Up Kubernetes on Windows



Setting up a single instance of Docker and Kubernetes on a Windows machine can be done easily with this tutorial, which is aimed at open source enthusiasts. Those with some knowledge of container orchestration and Kubernetes will find the article helpful.

Are you a container enthusiast and want to set up a Docker and container orchestration tool on your Windows system, which you can operate conveniently via your command prompt or PowerShell? If so, this article is for you. Do note that the Windows 10 Professional edition is a prerequisite for enabling native Docker for Windows with HyperV support.

Docker Engine on Windows

The Docker Engine and client are not included with Windows, and need to be installed and configured individually. Besides, the Docker Engine can accept many custom configurations. Some examples include configuring how the daemon accepts incoming requests, default networking options, and debug/log settings. On Windows, these configurations can be specified in a configuration file or by using the Windows Service control manager.

Installing Docker

Docker is required in order to work with Windows Containers. Docker consists of the Docker Engine (*dockerd.exe*) and the Docker client (*docker.exe*). The easiest way to get everything

installed is from the official Docker installers provided on Docker Hub. You can choose Edge installer to get the latest release updates.

Configuring Docker with the configuration file

The preferred method for configuring the Docker Engine on Windows is to use a configuration file, which can be found at *C:\ProgramData\Docker\config\daemon.json*. If this file does not already exist, it can be created. <https://bit.ly/2SWfu7R> is an example of a Docker configuration file — but do note that not every available Docker configuration option is applicable to Docker on Windows. Only the desired configuration changes need to be added to the configuration file. All other configuration options use default values.

Configuring Docker on the Docker service

The Docker Engine can also be configured by modifying the Docker service using *sc config*. With this method, Docker Engine flags are set directly on the Docker service.

```
sc config docker binpath= "\"C:\Program Files\docker\dockerd.exe\"" --run-service -H tcp://0.0.0.0:2375"
```