

```

src: ../../files/haproxy.conf
dest: /etc/rsyslog.d/haproxy.conf
mode: 0644

- name: Allow port 8080
  shell: iptables -I INPUT -p tcp --dport 8080 -m state
--state NEW,ESTABLISHED -j ACCEPT

- name: Restart rsyslog
  systemd:
    name: rsyslog
    state: restarted

- name: Start HAProxy server
  systemd:
    name: haproxy
    enabled: yes
    state: started

- name: Wait for server to start
  wait_for:
    port: 8080

```

A sample execution of the above playbook is as follows:

```

$ ansible-playbook -i inventory/kvm/inventory playbooks/
configuration/frontend.yml --tags haproxy -K
SUDO password:

PLAY [Setup Nginx web server] *****
TASK [Gathering Facts] *****
ok: [nginx1]
ok: [nginx2]
PLAY [Setup HAProxy] *****
TASK [Gathering Facts] *****
ok: [haproxy]
TASK [Yum update] *****
ok: [haproxy]
TASK [Install HAProxy] *****
changed: [haproxy]
TASK [Add Nginx servers to /etc/hosts] *****
changed: [haproxy] => (item=nginx2)
changed: [haproxy] => (item=nginx1)
TASK [Backup default haproxy.cfg] *****
changed: [haproxy]
TASK [Create new haproxy.cfg] *****
changed: [haproxy]
TASK [Update /etc/rsyslog.conf] *****
changed: [haproxy] => (item={'regex': '#\\$ModLoad imudp',
'line': '$ModLoad imudp'})
changed: [haproxy] => (item={'regex': '#\\$UDPServerRun
514', 'line': '$UDPServerRun 514'})
TASK [Create /etc/rsyslog.d/haproxy.conf] *****
changed: [haproxy]

```

```

TASK [Allow port 8080] *****
changed: [haproxy]
TASK [Restart rsyslog] *****
changed: [haproxy]
TASK [Start HAProxy server] *****
changed: [haproxy]

```

```

TASK [Wait for server to start] *****
ok: [haproxy]

```

```

PLAY RECAP *****
haproxy      : ok=12  changed=9  unreachable=0  failed=0
nginx1       : ok=1   changed=0  unreachable=0  failed=0
nginx2       : ok=1   changed=0  unreachable=0  failed=0

```

Testing

You can open the HAProxy Web page using `http://192.168.122.113:8080/stats` and you will be prompted to log in as shown in Figure 2.

Figure 2: HAProxy Web login

You can use the credentials (`admin:password`) as specified in `/etc/haproxy/haproxy.cfg` to log in, and you will see the HAProxy stats page as shown in Figure 3.

Figure 3: HAProxy stats

You can make multiple requests to the HAProxy front-end server in the browser or using `curl` `http://192.168.122.113:8080` from the command line. You will observe that the requests are being sent to both the Nginx Web servers in a round-robin fashion, which can be seen in the app-main section of the HAProxy stats page. **END** 🐧

By: Shakthi Kannan

The author is a free software enthusiast and blogs at shakthimaan.com.