

MongoDB installation

MongoDB is used here as a backend of Hygieia.

```
$sudo apt-get install mongodb
```

Details of the MongoDB configurations are written in *hygieia/db/db-setup.js*. Go to that directory, i.e., *hygieia/db* and run the following command:

```
$mongo < db-setup.js
```

Running the Hygieia API

Go to the *hygieia/api* directory and run the following command:

```
$mvn install
```

Create an *api.properties* file in the *hygieia/api* directory. You can get the file from <https://hygieia.github.io/Hygieia/api.html#api-properties-file>.

A sample of a minimal working *api.properties* file is given below:

```
dbname=dashboarddb
dbusername=dashboarduser
dbpassword=dbpassword
dbhost=localhost
dbport=27017
server.port=8080
logRequest=false
logSplunkRequest=false
corsEnabled=false
version.number=0.0.1
pageSize=10
key=[api token]
##End of file
```

You can add LDAP as a user backend. Here I have used a standard login.

After that, to run the API service, execute the following command (assuming you are in the *hygieia/api* directory):

```
$java -jar target/api.jar --spring.config.location=/home/
hygieia/hygieia/api/api.properties -Djasypt.encryptor.
password=hygieiasecret
```

The Hygieia dashboard

There are two separate dashboards in Hygieia — the team dashboard, and the product dashboard. You can log in to the dashboard by going to the following URL in the browser: *localhost:3000/#/login* or *<IP_ADDRESS>:3000/#/login*

If you log in for the first time, you have to create a user account by clicking *Sign up* and entering your user name and password.




Figure 3: Login screen




Figure 4: Dashboard page




Figure 5: Creating a new dashboard




Figure 6: Add widget to dashboard

Continued on Page...71