

```

    ),
  ],
),
),
],
),
)

```

To add buttons in different columns, we use the *Column* class by calling a function called *buildButtonColumn*.

```

Column buildButtonColumn(IconData icon, String label){
  Color color = Theme.of(context).primaryColor;

  return Column(
    mainAxisAlignment: MainAxisAlignment.min,
    mainAxisAlignment: MainAxisAlignment.center,
    children:[

      Icon(icon, color: color),

      Container(
        margin: const EdgeInsets.only(top: 8.0),
        child: Text(
          label,
          style: TextStyle(
            fontSize: 12.0,
            fontWeight: FontWeight.w400,
            color: color,
          ),
        ),
      ),
    ],
  );
}

```

Similarly, we create another function that lets us build raised buttons in columns, so that we can inject the icons, the labels and the function callback directly to that button:

```

RaisedButton buildRaisedButton(IconData icon, String label,
Function func) {
  return RaisedButton(

```




Figure 3: Home screen of the new app




Figure 4: Different widgets in the app in the *Settings* page

```

    child:
      buildButtonColumn(icon, label ),
      onPressed: () {
        func();
      }
    );
}

```

Now we create the columns of buttons in a button section to be included in the list view.

```

Widget buttonSection = Container(
  child: Row(
    mainAxisAlignment: MainAxisAlignment.spaceEvenly,
    children: [

      buildRaisedButton(Icons.videocam, LiveStream.label,
        () => launchURLNow()),
      buildRaisedButton(Icons.lock_open, Doorlock.label,
        () => pressBtn(LoginPage())),
      buildRaisedButton(Icons.settings, SettingScreen.
        label, () => pressBtn(SettingScreen())),
    ],
  ),
);

```

Finally, we return the overall widget object, which is a material app.

```

return MaterialApp(
  title: 'LockSmith App',
  theme: ThemeData(
    primarySwatch: Colors.indigo,
  ),
  home: Scaffold(
    appBar: AppBar(
      title: Text('LockSmith - Test Mode'),
    ),
    body: ListView(
      children: [
        titleSection,
        buttonSection,
      ],
    ),
  ),
);

```

This example app is used for controlling a building's entrance and livestreaming the video feed from it. So, it has three options – *Livestream*, *Toggling* the door lock, and *Settings*.

We have created the buttons for the same, as shown in Figure 3.

Subsequently, we create functionalities for these buttons using different classes in different Dart files, e.g., the