

```
TASK [Start the server] *****
ok: [ubuntu]
TASK [wait_for] *****
ok: [ubuntu]
TASK [mysql_user] *****
ok: [ubuntu]
PLAY RECAP *****
ubuntu                : ok=6    changed=2
unreachable=0        failed=0
```

 **Note:** The default MySQL root password is empty. You should change it after installation.

Installing PHP

PHP is a server-side programming language and stands for PHP: Hypertext Preprocessor (a recursive acronym). Although we have used PHP5 in this example, it is recommended that you use the latest PHP for security reasons. The Ansible playbook for installing PHP is given below:

```
---
- name: Install PHP
  hosts: ubuntu
  become: yes
  become_method: sudo
  gather_facts: true
  tags: [web]
  tasks:
    - name: Update the software package repository
      apt:
        update_cache: yes
    - name: Install PHP
      package:
        name: "{{ item }}"
        state: latest
      with_items:
        - php5
        - php5-mysql
```

We update the software repository and install PHP5. An execution output of the Ansible playbook is shown below:

```
$ ansible-playbook -i inventory/kvm/inventory playbooks/
configuration/php.yml -K
SUDO password:
PLAY [Install PHP] *****
TASK [setup] *****
ok: [ubuntu]
TASK [Update the software package repository] *****
changed: [ubuntu]
TASK [Install PHP] *****
changed: [ubuntu] => (item=[u'php5', u'php5-mysql'])
```

```
PLAY RECAP *****
ubuntu                : ok=3    changed=2
unreachable=0        failed=0
```

Installing WordPress

As a final step, we will download, install and set up WordPress. The complete playbook is as follows:

```
---
- name: Setup Wordpress
  hosts: ubuntu
  become: yes
  become_method: sudo
  gather_facts: true
  tags: [database]
  vars:
    wordpress_file: "/home/{{ ansible_user }}/Downloads/
wordpress-latest.zip"
    wordpress_dest: "/var/www/html"
  tasks:
    - name: Update the software package repository
      apt:
        update_cache: yes
    - name: Create a database for wordpress
      mysql_db:
        name: wordpress
        state: present
    - name: Create downloads directory
      file:
        path: "/home/{{ ansible_user }}/Downloads"
        state: directory
    - name: Create target directory
      file:
        path: "{{ wordpress_dest }}/wordpress"
        state: directory
    - name: Download latest wordpress
      get_url:
        url: https://wordpress.org/latest.zip
        dest: "{{ wordpress_file }}"
    - name: Extract to /var/www/html
      unarchive:
        src: "{{ wordpress_file }}"
        dest: "{{ wordpress_dest }}"
        remote_src: True
    - name: Copy wp-config-sample.php to wp-config.php
      command: cp "{{ wordpress_dest }}/wordpress/wp-config-
sample.php" "{{ wordpress_dest }}/wordpress/wp-config.php"
    - name: Update database credentials in the file
      replace:
        dest: "{{ wordpress_dest }}/wordpress/wp-config.php"
        regexp: "{{ item.regexp }}"
        replace: "{{ item.replace }}"
      with_items:
        - { regexp: 'database_name_here', replace:
```