

Figure 2: Default Web page for the created application




Figure 3: Opening a project in the Sublime text editor

of Ruby and Rails, follow the link <https://www.digitalocean.com/community/tutorials/how-to-install-ruby-on-rails-on-ubuntu-14-04-using-rvm>.

Once the installation is completed, a Windows user can go to the command prompt and an Ubuntu user to the terminal, and run the following commands to check the version of Ruby and Rails:

```
rails -v
ruby -v
```

Here, the `-v` option is to check the version of a particular package.

Building a Web application

Let's build a sample Web application and later we can look at how we can convert it into a powerful static Web application. To avoid information overload, I will not go too deep into this topic. We will skip the database connectivity part, which we will cover in subsequent articles on RoR.




Figure 4: Changes in routes.rb to see our sample home page of the application




Figure 5: Sample home page of the application

Before creating a project, first create or select a directory in which you want to store all RoR projects. In my case, I have created a directory called `RoR_projects`.

```
mkdir RoR_projects
cd RoR_projects
```

After that, we will create a new project, which will be our first Web application on RoR.

```
rails -new myfirstapp
```

Once we run this command, it will create everything that is required to build a Web application for us. The entire structure will be created. When we go into the `myfirstapp` folder and then go to `dir` (in Windows) and `ls` (in Linux), we can see different folders and files already created inside it.

Here, my path is `C:\Users\maparekh\Desktop\RoR_projects\myfirstapp`.

If we want to check the app we created, we have to first go to our project directory and then run the local server. RoR has its own server called `WEBrick` and besides, it comes with `SQLite`, by default, which is a serverless database.

We have to make sure that the server is up and running in another command prompt/terminal to check if the application runs:

```
rails server
```

Now, copy the URL `http://localhost:3000` and paste it in a browser. We can see the default Web application page, which




Figure 6: Modified home page of application