


Deploying a Jekyll Blog in Docker

Jekyll is a simple, blog-aware, static site generator. It takes a template directory containing raw text files in various formats, runs it through a converter and spits out a complete, ready-to-publish static website. This article integrates Jekyll with Docker.



Jekyll is a blog alternative that generates static HTML from templates that you create. It is a simple, blog-aware, static site generator written on Ruby by Tom Preston Werner, GitHub's co-founder. It takes a template directory (representing the raw form of a website), runs it through Markdown and Liquid converters, and spits out a complete static website.

Why does one need to use Jekyll?

No server-side language or database: This is only good old HTML/CSS/JS. Frankly, I don't want to have anything to do with a database unless I absolutely need to. This also means it's worry-free.

Simpler workflow: One only needs a text editor and Git to update the site or release a blog post. There's no need for a local PHP server or anything. Plus, synchronising the local environment with the one in production takes no more than a single command.

Fewer dependencies: No more *jQuery.paginate* for pagination; Jekyll has a built-in plugin to do it. No more *Prism.js* for syntax highlighting; Jekyll comes with Pygments, a Python based syntax highlighter. Less JS (and especially no more jQuery) means a faster site.

Enough of asking why; let's jump to how to go about things!

Creating the directory structure

The final structure will look something like what's shown below:

```
├─ app
│   ├── _drafts
│   ├── _includes
│   ├── _layouts
│   │   ├── default.html
│   │   └── post.html
│   ├── _posts
│   └── css
```

```
├─ images
├─ index.html
├─ js
├─ robots.txt
├─ _config.yml
├─ Dockerfile
├─ Gemfile
└─ web
```

Anything that you put into the `app` directory will get copied to the generated site too, so put your css, images, js files here.

Let's have a look at the Jekyll config file `_config.yml`:

```
source: app
destination: web

url: http://blog.your-domain.com
permalink: pretty

encoding: utf-8
```

Fill in your domain in the 'url' parameter.

Next, have a look at the views; first up is `app/_layouts/default.html`:

```
<!DOCTYPE html>
<html lang="en" prefix="og: http://ogp.me/ns#">
<head>
  <meta charset="utf-8">
  <link rel="stylesheet" type="text/css" href="/css/style.css">

  <meta name="viewport" content="width=device-width, initial-scale=1">

  <title>{% if page.title %}{{ page.title }} &mdash; {% endif %}Your Blog</title>
```