

File	Hilite			
Calories ...	Low calori...	Good cal...	High calo...	
Low calori...	369	0	0	
Good cal...	0	234	0	
High calo...	0	4	333	

Correct classified: 936	Wrong classified: 4
Accuracy: 99.574%	Error: 0.426%
Cohen's kappa (κ): 0.994%	

Figure 12: Result of Scorer node




Figure 13: Result of Linear Correlation node




Figure 15: Box plot analysis of calories burn




Figure 14: Bar graph analysis of calories burn

the amount of matches. Statistics on recall, precision, sensitivity, specificity, F-measure, overall accuracy, and Cohen's kappa are also reported on the second output port. The Scorer node's settings window is shown in Figure 10.

Bar Plot

Custom CSS styling is supported through a bar *char* node. The node configuration dialogue allows you to easily condense CSS rules into a single string and set it as the flow variable 'customCSS'. On KNIME's documentation page, you can discover a list of the classes that are available as well as their descriptions. Figure 11 exhibits the parameters configuration window for the Bar Plot node.

The results

Now let us see a few of the results.

Scorer node results: The prediction of the calories data set is presented in Figure 12 as the output analysis of the Scorer node.

Linear correlation output: The correlation matrix of the linear correlation analysis is presented in Figure 13.

Graphs - bar graph: Appropriate analysis has been made and the bar graph for the predicted calories burn is illustrated in Figure 14. It interprets the occurrence of low calories burn, good calories burn and high calories burn.