

```

File Edit Tabs Help
config.status: executing depfiles commands
config.status: executing libtool commands
pi@pi:~/deepdream/protobuf-2.6.1 $
pi@pi:~/deepdream/protobuf-2.6.1 $
pi@pi:~/deepdream/protobuf-2.6.1 $
pi@pi:~/deepdream/protobuf-2.6.1 $ sudo make install
Making install in .
make[1]: Entering directory '/home/pi/deepdream/protobuf-2.6.1'
make[2]: Entering directory '/home/pi/deepdream/protobuf-2.6.1'
make[2]: Nothing to be done for 'install-exec-am'.
/bin/mkdir -p '/usr/local/lib/pkgconfig'
/usr/bin/install -c -m 644 protobuf.pc protobuf-lite.pc '/usr/local/lib/pkgconfig'
make[2]: Leaving directory '/home/pi/deepdream/protobuf-2.6.1'
make[1]: Leaving directory '/home/pi/deepdream/protobuf-2.6.1'
Making install in src
make[1]: Entering directory '/home/pi/deepdream/protobuf-2.6.1/src'
dephase='echo google/protobuf/compiler/main.o | sed 's|[^/]*|.deps/&|;s|\.o$|\.lo$|';\
g++ -DHAVE_CONFIG_H -I. -I.. -pthread -Wall -Wwrite-strings -Woverloaded-virtual -Wno-sign-compare -O2 -g -DDEBUG -MT google/protobuf/compiler/main.o -MD -MP -MF $dephase.Tpo -c -o google/protobuf/compiler/main.o google/protobuf/compiler/main.cc AA\
mv -f $dephase.Tpo $dephase.Po
dephase='echo google/protobuf/stubs/atomicops_internals_x86_gcc.lo | sed 's|[^/]*|.deps/&|;s|\.lo$|\.o$|';\
/bin/bash ../libtool --tag=CCX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -pthread -Wall -Wwrite-strings -Woverloaded-virtual -Wno-sign-compare -O2 -g -DDEBUG -MT google/protobuf/stubs/atomicops_internals_x86_gcc.lo -MD -MP -MF $dephase.Tpo -c -o google/protobuf/stubs/atomicops_internals_x86_gcc.lo google/protobuf/stubs/atomicops_internals_x86_gcc.cc AA\
mv -f $dephase.Tpo $dephase.Plo
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -pthread -Wall -Wwrite-strings -Woverloaded-virtual -Wno-sign-compare -O2 -g -DDEBUG -MT google/protobuf/stubs/atomicops_internals_x86_gcc.lo -MD -MP -MF google/protobuf/stubs/.deps/atomicops_internals_x86_gcc.Tpo -c google/protobuf/stubs/atomicops_internals_x86_gcc.cc -fPIC -DPIC -o google/protobuf/stubs/.libs/atomicops_internals_x86_gcc.o
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -pthread -Wall -Wwrite-strings -Woverloaded-virtual -Wno-sign-compare -O2 -g -DDEBUG -MT google/protobuf/stubs/atomicops_internals_x86_gcc.lo -MD -MP -MF google/protobuf/stubs/.deps/atomicops_internals_x86_gcc.Tpo -c google/protobuf/stubs/atomicops_internals_x86_gcc.cc -o google/protobuf/stubs/atomicops_internals_x86_gcc.o >/dev/null 2>&1
dephase='echo google/protobuf/stubs/atomicops_internals_x86_msvc.lo | sed 's|[^/]*|.deps/&|;s|\.lo$|\.o$|';\
/bin/bash ../libtool --tag=CCX --mode=compile g++ -DHAVE_CONFIG_H -I. -I.. -pthread -Wall -Wwrite-strings -Woverloaded-virtual -Wno-sign-compare -O2 -g -DDEBUG -MT google/protobuf/stubs/atomicops_internals_x86_msvc.lo -MD -MP -MF $dephase.Tpo -c -o google/protobuf/stubs/atomicops_internals_x86_msvc.lo google/protobuf/stubs/atomicops_internals_x86_msvc.cc AA\
mv -f $dephase.Tpo $dephase.Plo
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -pthread -Wall -Wwrite-strings -Woverloaded-virtual -Wno-sign-compare -O2 -g -DDEBUG -MT google/protobuf/stubs/atomicops_internals_x86_msvc.lo -MD -MP -MF google/protobuf/stubs/.deps/atomicops_internals_x86_msvc.Tpo -c google/protobuf/stubs/atomicops_internals_x86_msvc.cc -fPIC -DPIC -o google/protobuf/stubs/.libs/atomicops_internals_x86_msvc.o
libtool: compile: g++ -DHAVE_CONFIG_H -I. -I.. -pthread -Wall -Wwrite-strings -Woverloaded-virtual -Wno-sign-compare -O2 -g -DDEBUG -MT google/protobuf/stubs/atomicops_internals_x86_msvc.lo -MD -MP -MF google/protobuf/stubs/.deps/atomicops_internals_x86_msvc.Tpo -c google/protobuf/stubs/atomicops_internals_x86_msvc.cc -o google/protobuf/stubs/atomicops_internals_x86_msvc.o >/dev/null 2>&1

```

Figure 8: Installing process

```

pi@pi:~/deepdream/protobuf-2.6.1/python $ python setup.py build
Installed /home/pi/deepdream/protobuf-2.6.1/python/.eggs/google_apputils-0.4.2-py2.7.egg
Searching for python-gflags>=1.4
Reading https://pypi.org/simple/python-gflags/
Downloading https://files.pythonhosted.org/packages/df/ec/e31302d355bc902d07d9b858ad1ecc4e5d8c855730c8ba4ddbd3f8eb8d/python-gflags-3.1.2.tar.gz#sha256=4b131a899ef08e9e14aa53ca083b39c34f6a188afe622217b5d875492a1ee2
Best match: python-gflags 3.1.2
Processing python-gflags-3.1.2.tar.gz
Writing /tmp/easy_install-WVP041/python-gflags-3.1.2/setup.cfg
Running python-gflags-3.1.2/setup.py -q bdist_egg --dist-dir /tmp/easy_install-WVP041/python-gflags-3.1.2/egg-dist-tmp-xbgdph
warning: no files found matching 'README'
zip_safe flag not set; analyzing archive contents...
Moving python_gflags-3.1.2-py2.7.egg to /home/pi/deepdream/protobuf-2.6.1/python/.eggs
Installed /home/pi/deepdream/protobuf-2.6.1/python/.eggs/python_gflags-3.1.2-py2.7.egg
running build
running build_py
Generating google/protobuf/descriptor_pb2.py...
Generating google/protobuf/compiler/plugin_pb2.py...
Generating google/protobuf/unit_test_pb2.py...
Generating google/protobuf/unit_test_custom_options_pb2.py...
Generating google/protobuf/unit_test_import_pb2.py...
Generating google/protobuf/unit_test_import_public_pb2.py...
Generating google/protobuf/unit_test_util_pb2.py...
Generating google/protobuf/unit_test_no_generic_services_pb2.py...
Generating google/protobuf/internal/descriptor_pool_test1_pb2.py...
Generating google/protobuf/internal/descriptor_pool_test2_pb2.py...
Generating google/protobuf/internal/test_bad_identifiers_pb2.py...
Generating google/protobuf/internal/missing_enum_values_pb2.py...
Generating google/protobuf/internal/more_extensions_pb2.py...
Generating google/protobuf/internal/more_extensions_dynamic_pb2.py...
Generating google/protobuf/internal/more_messages_pb2.py...
Generating google/protobuf/internal/factory_test1_pb2.py...
Generating google/protobuf/internal/factory_test2_pb2.py...
Generating google/protobuf/pyext/python_pb2.py...
creating build
creating build/lib.linux-armv7l-2.7
creating build/lib.linux-armv7l-2.7/google
creating build/lib.linux-armv7l-2.7/google/protobuf
creating build/lib.linux-armv7l-2.7/google/protobuf/internal
copying google/protobuf/internal/_init_.py -> build/lib.linux-armv7l-2.7/google/protobuf/internal
copying google/protobuf/internal/api_implementation.py -> build/lib.linux-armv7l-2.7/google/protobuf/internal

```

Figure 9: Installation in progress

Contribution, and Face Recognition library folder. To do so, open the terminal window and run the following command in the terminal:

```

git clone https://github.com/opencv/opencv
git clone https://github.com/opencv/opencv_contrib

```

The above helps recognise the

person in front of the robot (known or unknown). In this code, we will import three modules: face recognition, cv2, and numpy. We will create different arrays for recognising faces and names. Make sure to write the image file name of that person for correct face recognition.