

```

        ChangePicButton(onChangePic)
    }
}

```

For the profile image, we are calling an Image composable inside a Box composable. We will create a composable named *ChangePicButton* for showing the *Edit* button on top of the profile pic. We call it inside the *AnimatedVisibility* composable function. *AnimatedVisibility* composable will animate and make the *ChangePicButton* visible when the value of the editable parameter is true.

Button to change the picture

Now, let's implement the *ChangePicButton* composable.

```

@Composable
private fun ChangePicButton(onChangePic: () -> Unit) {
    IconButton(
        onClick = onChangePic
    ) {
        Icon(
            modifier = Modifier
                .background(
                    color = MaterialTheme.colors.surface.
copy(alpha = 0.5f),
                    shape = CircleShape
                )
                .padding(horizontal = 20.dp, vertical = 8.dp),
            imageVector = Icons.Default.Edit,
            contentDescription = stringResource(id = R.string.
update_profile_picture),
            tint = MaterialTheme.colors.onSurface
        )
    }
}

```

Here we added the background and padding modifiers to the Icon composable. We applied the surface colour with 0.5 alpha as the background colour. We also applied the onSurface colour as the icon tint.

ViewModel class for the biodata

Before creating the next composables, create a *ViewModel* class called *BioModel* for temporarily storing the biodata. Create a *BioModel.kt* file with the following contents:

```

class ProfileModel: ViewModel() {

    private val _profilePicId: MutableLiveData<Int> =
MutableLiveData()
    val profilePicId: LiveData<Int> = _profilePicId

    private val _name: MutableLiveData<String> =

```

```

MutableLiveData()
    val name: LiveData<String> = _name

    private val _dob: MutableLiveData<Time> = MutableLiveData()
    val dob: LiveData<Time> = _dob

    private val _about: MutableLiveData<String> =
MutableLiveData()
    val about: LiveData<String> = _about

    private val _email: MutableLiveData<String> =
MutableLiveData()
    val email: LiveData<String> = _email

    private val _phone: MutableLiveData<String> =
MutableLiveData()
    val phone: LiveData<String> = _phone

    fun updateName(name: String) {
        _name.value = name
    }

    fun updateDob(time: Time) {
        _dob.value = time
    }

    fun updateAbout(about: String) {
        _about.value = about
    }

    fun updateEmail(email: String) {
        _email.value = email
    }

    fun updatePhone(phone: String) {
        _phone.value = phone
    }

    fun updatePicId(id: Int) {
        _profilePicId.value = id
    }

    fun updateProfile(name: String, about: String, email:
String, phone: String) {
        updateName(name)
        updateAbout(about)
        updateEmail(email)
        updatePhone(phone)
    }
}

```

Now declare an object of the *ProfileModel* inside the