

details about the host machine, hostname, kernel, memory, version and plugins.

You can use:

```
podman --help
```

...command to get help for different commands/parameters (Figure 1).

Once we have verified the details using *info* command, let's try and run the *nginx* container using Podman.

```
podman@osfy:~$ podman run -dt -p 8999:80/tcp docker.io/library/nginx
```

Trying to pull **docker.io/library/nginx:latest**...

```
Getting image source signatures
Copying blob a38226fb7aba done
Copying blob a603fa5e3b41 done
Copying blob c39e1cda007e done
Copying blob 9802a2cfd8d done
Copying blob 62583498bae6 done
Copying blob 90cfefba34d7 done
Copying config 88736fe827 done
Writing manifest to image destination
Storing signatures
```

```
685a357ad49fd2e7cd493abc6579aaa
9d2199f863b81ef7a389dfbad2d1b6219
```

Once the above command is successfully completed, we can access *localhost:8999* in the browser. It should display the NGINX home page as shown in Figure 2.

We can check the details of all existing containers by running the command *podman ps*. It should have the same container ID that was created earlier.

```
podman@osfy:~$ podman ps
CONTAINER ID  IMAGE                                COMMAND
CREATED      STATUS      PORTS      NAMES
685a357ad49f  docker.io/library/nginx:latest      nginx -g daemon
o... 6 minutes ago Up 6 minutes ago 0.0.0.0:8999->80/tcp
priceless_base
```

You can also check the logs for NGINX containers if you need to debug anything. All you have to do is to run the command given below:

```
podman@osfy:~$ podman logs -l
```

Here, *-l* represents the latest container.

Now, let's stop the container using the *stop* command. The

```
Available Commands:
attach      Attach to a running container
auto-update Auto update containers according to their auto-update policy
build       Build an image using instructions from Containerfiles
commit      Create new image based on the changed container
container   Manage containers
cp          Copy files/folders between a container and the local filesystem
create      Create but do not start a container
diff        Display the changes to the object's file system
events      Show podman events
exec        Run a process in a running container
export      Export container's filesystem contents as a tar archive
generate    Generate structured data based on containers, pods or volumes
healthcheck Manage health checks on containers
help        Help about any command
history     Show history of a specified image
image       Manage images
images      List images in local storage
import      Import a tarball to create a filesystem image
info        Display podman system information
init        Initialize one or more containers
inspect     Display the configuration of object denoted by ID
kill        Kill one or more running containers with a specific signal
load        Load image(s) from a tar archive
login       Login to a container registry
logout      Logout of a container registry
logs        Fetch the logs of one or more containers
machine     Manage a virtual machine
manifest    Manipulate manifest lists and image indexes
mount       Mount a working container's root filesystem
network     Manage networks
pause       Pause all the processes in one or more containers
play        Play containers, pods or volumes from a structured file
pod         Manage pods
port        List port mappings or a specific mapping for the container
ps          List containers
pull        Pull an image from a registry
push        Push an image to a specified destination
rename      Rename an existing container
restart     Restart one or more containers
rm          Remove one or more containers
rmi         Removes one or more images from local storage
run         Run a command in a new container
save        Save image(s) to an archive
search      Search registry for image
```

Figure 1: Podman commands



Figure 2: *nginx* home page

output shows a running container, which is stopped using the *podman stop -l* command.

```
podman@osfy:~$ podman ps -a
CONTAINER ID  IMAGE                                COMMAND
CREATED      STATUS      PORTS      NAMES
99a2890c1327  docker.io/library/nginx:latest      nginx -g daemon
o... 9 minutes ago Created      0.0.0.0:8080->80/tcp
upbeat_merkle
685a357ad49f  docker.io/library/nginx:latest      nginx -g daemon
o... 8 minutes ago Up 8 minutes ago 0.0.0.0:8999->80/tcp
priceless_base
```

```
podman@osfy:~$ podman stop -l
685a357ad49fd2e7cd493abc6579aaa9d
```