

Figure 2: Liferay admin menu for adding portlet application




Figure 3: Add application panel

```
xmlns:xsi="http://
www.w3.org/2001/
XMLSchema-instance"
```



Figure 4: Our portlet deployed in Liferay

```
schemaLocation="http://java.sun.com/xml/ns/
portlet/portlet-app_2_0.xsd
http://java.sun.com/xml/ns/portlet/
portlet-app_2_0.xsd">
```

```
<portlet>
<description>Hello World Portlet</
description>
<portlet-name>hello-world-portlet</portlet-
name>
<display-name>Hello World Portlet</display-
name>
<portlet-class>com.liferay.book.
HelloWorldPortlet</portlet-class>
```

```
<supports>
<mime-type>text/html</mime-type>
<portlet-mode>VIEW</portlet-mode>
</supports>
<portlet-info>
<title>Hello World Portlet</title>
<short-title>Hello World Portlet</short-title>
</portlet-info>
</portlet>
</portlet-app>
```

Shown below is what *web.xml* looks like:

```
<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns="http://java.sun.com/xml/ns/
javaee"
xmlns:xsi="http://www.w3.org/2001/
XMLSchema-instance"
xsi:schemaLocation="http://java.sun.com/xml/
ns/javaee http://java.sun.com/xml/ns/javaee/web-
app_2_5.xsd"
version="2.5">
</web-app>
```

The *portlet.xml* code should be

By. Subhash Chandran

The author is a software developer working in the innovation department of the Chennai-based software firm, Sella Synergy India Ltd. He has been contributing to various OpenSource projects, and publishes his contributions at his site WizTools.org. He also maintains a technical blog at indWiz.com. He may be contacted at: subwiz@gmail.com.

self-explanatory. The *web.xml* is an empty XML with no content. This is required, because we are using EL, and this *web.xml* specifies the Web app specification to version 2.5, where EL can be used inside JSP.

Place both *portlet.xml* and *web.xml* in the project path: *src/main/webapp/WEB-INF/*.

Build the portlet using the *mvn package* command. This will generate *hello-world.war* in your *target* directory. This is your ready-to-deploy portlet war.

Portlet deployment in Liferay

Start the Liferay server, then copy the *hello-world.war* to the *LIFERAY_DIR/ deploy/* directory. Monitor your application server log for successful deployment. Once it is deployed, visit the URL: *http://localhost:8080/*

You will be able to view the default Liferay Portal page [Figure 1]. On to the right, you will see the link "Login as bruno". Click this to log in as the portal administrator. Click on the menu *Welcome Bruno Admin!* (top-right of the screen) and select *Add Application* [Figure 2]. This will open the *Add Application* panel. Under the *Undefined* category, you will find the deployed portlet [Figure 3]. Just drag and drop it in the screen to deploy your portlet [Figure 4].

So we have successfully developed a small "Hello World" application for deployment in the Liferay Portlet Container. In forthcoming articles in this series, we will discuss some more advanced concepts of the portlet specification. **END**