



iPhone Development on Linux

Learn how to set up the Open Tool Chain for iPhone on Linux.

I know you're wondering how can this author talk so positively about the iPhone, after his article titled *The True Open Phone Platform*, published in the January 2008 issue of *LINUX*

For You, which focused on the OpenMoko platform. But things have changed since then. And guess what, I love my iPhone. I love OpenMoko very much too, but both are in different leagues.

The iPhoneDevTeam

According to Wikipedia: "The iPhone Dev Team is a group of influential hackers among the iPhone OS community responsible for a number of widely-used jail-breaking and unlocking applications for Apple's iPhone and iPod Touch devices. These applications provide owners with the ability to sidestep the limitations placed on devices by the manufacturer, allowing for activities such as deep customisation and SIM unlocking. The team is notable for discouraging the practice of warez (refers primarily to copyrighted works traded in violation of copyright law) and its team members take great care to ensure all releases are free from Apple's copyrighted code, to a point where members violating this are dismissed from the team." For more information visit en.wikipedia.org/wiki/iPhone_Dev_Team.

Note: iPhone 2G, iPhone 3G and iPod Touch share the same OS with variations like: iPod Touch does not come with GPS, Phone and Bluetooth; and iPhone 2G does not have 3G, A2DP capable Bluetooth and GPS. However, all these devices share a larger set of common elements that will make your application run on all the platforms. The primary benefit of using iPod Touch over iPhone is the price. You will get an iPod Touch 8GB in India for Rs 14,000, whereas iPhone 3G 8GB will cost you a whopping Rs 31,000