

Figure 1: OCS-NG architecture



Figure 2: The complete OCS inventory




Figure 3: Inventory output

enter the following command:

```
# mysql> SHOW ENGINE INNODB STATUS
```

The default port for MySQL is 3306. Make sure your firewall or Iptables do not block Port 3306.

If you want to secure your MySQL server, run the following code:

```
##mysql_secure_installation
```

By default, the root password for MySQL will be **null**. Please set the root password immediately after MySQL is installed.

b. **Administration console**: What are required are Apache 2.x, Perl and PHP 4.1 or greater, along with GD and ZIP support enabled.

c. **Deployment server**: Apache with SSL enabled.

d. **Communication server**: Apache 2.x and Perl along with additional modules.

We have to install the rpms listed below. Most of the rpms are available on installation DVDs and the rest can be downloaded from the Web. I downloaded the missing rpms and created a separate repository as most of the following rpms are needed on the client side too. You can use Yum to install all the rpms. This will resolve all the dependencies automatically.

- perl-Apache2-SOAP-0.73-1.el5.noarch.rpm
- perl-Apache-DBI-1.08-1.el5.rf.noarch.rpm
- perl-Class-Inspector-1.24-1.el5.rf.noarch.rpm
- perl-DBD-MySQL-4.014-1.el5.rf.x86_64.rpm
- perl-Digest-SHA1-2.13-1.el5.rf.x86_64.rpm
- perl-FCGI-0.68-1.el5.rf.x86_64.rpm
- perl-IO-Socket-SSL-1.01-2.el5.noarch.rpm
- perl-Net-IP-1.25-3.el5.noarch.rpm
- perl-SOAP-Lite-0.712-3.el5.rf.noarch.rpm
- perl-Task-Weaken-1.03-1.el5.rf.noarch.rpm
- perl-version-0.91-1.el5.rf.x86_64.rpm
- perl-XML-Entities-1.0000-1.el5.rf.noarch.rpm
- perl-XML-Simple-2.14-8.el5.noarch.rpm
- php-mbstring-5.1.6-44.el5.i386.x86_64.rpm
- php-pecl-zip-1.8.10-3.el5.x86_64.rpm
- php.x86_64 0:5.1.6-45.el5_11
- php-cli.x86_64 0:5.1.6-45.el5_11
- php-common.x86_64 0:5.1.6-45.el5_11
- php-ldap.x86_64 0:5.1.6-45.el5_11

OCS-NG is now ready to install. Download the OCS-NG server **gzip** file from <http://www.ocsinventory-ng.org/>; copy it to the test folder and install.

Create a folder **OCSNG_UNIX_SERVER-2.1.2** and extract files under it, as follows:

```
#tar xzvf OCSNG_UNIX_SERVER-2.1.2.tar.gz
# cd OCSNG_UNIX_SERVER-2.1.2
#./setup.sh-> make sure you running this script as a root user
```

Answer the following questions during installation, as indicated below.