

Component name	Purpose	Location
Button	To know when the screen is touched	Palette→User interface →Button
Sound	To play sound	Palette →Media→Sound
Accelerometer sensor	To sense the change in position of the device	Palette →Sensor → Accelerometer sensor

drop it on the viewer. Similarly, it will also be listed under non-visible components.

- Next, select *Button1* in the components and look for its properties in the *Property* pane.
- You will find *Text* property with some pre-written text for *Button1*. You need to erase all this text and make it empty.

Figure 9: Button properties

- Now, we want a threatening or 'danger' image on the screen; so why not add it to the button?
- Under *Button* properties, you will see *Image* property. Select it, and you will be asked to upload any photo from your computer. Browse the location, and upload the photo to the server. It will also be seen under the media tag on the same page.
- In the same way, we need to upload the sound file that we want to play.
- Now select the *Sound1* component and under its properties, set its source to the sound file you have uploaded.
- When you are done with this, your viewer should look something like what's shown in Figure 11. I have used a different image, apart from which, everything else ought to be the same.

Adding behaviour to the blocks

Now, let's head towards the block editor to define the behaviour, and discuss the




Figure 10: Uploading the image file



Figure 11: Application GUI

actual functionality that we are expecting from our application.

First, when the screen is touched, it should play a sound, i.e., the button we have used should sense this touch.

Second, when the phone is moved from its place, it should play a sound, i.e., the accelerometer sensor should sense this movement.

So let's move on and add these two behaviours, using the block editor. There is a button available right above the *Properties* pane to switch between the designer and block editor.

Block editor blocks

I have already prepared the blocks for you. All you need to do is drag the relevant blocks from the left side palette and drop them on the viewer. Arrange the blocks exactly the way you see in the image. I will explain what each does and how it is called.

- The first block is for the accelerometer. We have added the accelerometer sensor to our project to sense any movement in the physical position of the device. So as soon as the accelerometer senses the movement, the following two events will occur:
 - It will call the sound component to play the sound. The sound will be what has been set as a source in the designer.
 - It will vibrate the device for 500 milliseconds. The amount of time you want the device to be vibrated can be modified since it is an editable field.