

```
then
notify-send "Sorry: no extension found."
else
notify-send "$Filename-$Timestamp.$Extension"
mv "$1/$2" "$1/$Filename-$Timestamp.$Extension"
fi
```

- Remove password from PDF (useful with bank statements and other such documents)
 - Use parameter as %f
 - In the *Execution* tab use mode as terminal
 - In the *command* tab use the code given below

```
sOutputFileName=$(basename "$1")
sOutputFileName=~/.Desktop/${sOutputFileName%.*}-unencrypted.pdf
stty -echo
read -p "Enter password to decrypt PDF: " sPassword
stty echo
qpdf --password=$sPassword --decrypt "$1" "$sOutputFileName"
```

Seamoney and Firefox

The Seamoney project took off where the old Netscape Internet Suite left off. Seamoney provides four applications in one program:

- A Firefox-based Web browser
- A Thunderbird-based email client, Usenet reader and RSS feed reader
- A WYSIWYG Web page editor named Composer
- An IRC client named Chatzilla

The advantage of using Seamoney, over Firefox and Thunderbird separately, is speed. Web links in the Seamoney email client are instantly loaded in the Seamoney browser. Similarly, mail links in the Seamoney browser are instantly handled by the Seamoney mail client. Add-ons written for Firefox and Thunderbird mostly work without a problem in Seamoney.

Seamoney does not have the many quirks that Firefox has of late chosen to annoy its fans with. For example, when Firefox gets opened after clicking a Web link in some program, it will not display the page immediately, but will instead be busy updating all its add-ons first!

Seamoney stores all its settings and data (including e-mail and bookmarks) in the `~/.mozilla/Seamoney` directory. If you are moving to a new Linux installation, just copy this directory to the `.mozilla` directory of the new 'home' directory. As Seamoney (or Thunderbird) is also available for Windows, it is easy to import mail from Windows-based e-mail clients such as Outlook. The imported mail (mbox files) can then be easily moved to the Linux OS.

Mate-terminal

The mate-terminal prompt can be made more informative with this setting in the end of the `~/.bashrc` file.

Figure 6: Linux Terminal

```
PS1="\a\n\n\e[31;1m\@h on \d at \e\n\e[33;1m\w\e[0m\n$ "
```

Google fonts

If the new user is planning to work with GIMP or Inkscape, then the default set of fonts may not be enough. Get all the fonts from the Google repository with the following commands:

```
wget https://googlefontdirectory.googlecode.com/hg/otf/ -r -nc
-md -np -A.ttf
sudo mkdir /usr/share/fonts/truetype/goog-fonts
sudo cp *.ttf /usr/share/fonts/truetype/goog-fonts
fc-cache -r
```

Support

While offering support is great, you should not make the user feel totally dependent on you. You should provide links to sites such as [AskUbuntu.com](http://askubuntu.com), [UbuntuForums.org](http://ubuntuforums.org), [LinuxQuestions.org](http://linuxquestions.org) and of course, [Open Source For You](http://opensourceforu.com). This will make new users realise that Linux is not some obscure OS and that there is a big community behind it. For totally new computer users, you can provide general precautions against Nigerian scams, the need to avoid shouting in CAPS, and email etiquette tips. Last but not the least, inform the user that many FOSS projects are supported by voluntary donations. 

References

- <http://www.fsf.org/blogs/community/help-a-friend-skip-windows-10-and-try-gnu-linux> "Free Software Foundation; Help a friend skip Windows 10 and try GNU"
- <http://mate-desktop.org> "Mate Desktop Project"
- <https://ffmpeg.org/trac/ffmpeg/wiki/UbuntuCompilationGuide> "FFmpeg compilation guide for Ubuntu"
- <http://github.com/ravet65/> "Caja Actions Project"
- <http://www.seamoney-project.org> "Seamoney Project"

By: V. Subhash

The author is a writer, programmer and FOSS fan (www.vsubhash.com).