



Figure 6: CouchDB replication management

To write the code for MapReduce, go to 'View -> Temporary View' as shown in Figure 4.

For example, to navigate through the data store, the code shown in Figure 5 can be used. After entering the code in the map area, click on the 'Run' button.

Replication management

CouchDB is primarily used with Web based applications. One of the major features it provides is replication management, which can be used to perform replication from source to target. For example, the local storage can be linked with the centralised server for

replication management. In the Futon interface, the replication is carried out by 'Tools -> Replicator'. The replication

interface is shown in Figure 6.

The replication management in CouchDB is very powerful and integrated as a core feature, providing the following features: master-slave replication, master-to-master bidirectional replication, filtered replication, incremental replication and conflict management.

This article presents only the tip of the iceberg in the world of Apache CouchDB. The detailed tutorials provided by the official documentation will serve as further reading. **END** 

References

- [1] <http://docs.couchdb.org/en/1.6.1/replication/index.html>
- [2] <http://couchdb.apache.org/>
- [3] <http://nosql-database.org/>
- [4] <https://cwiki.apache.org/confluence/display/COUCHDB/Introduction>

By: Dr K.S.Kuppusamy

The author is assistant professor of computer science at Pondicherry Central University. He has 10+ years of teaching and research experience in academia and industry. His research interests include accessible computing, Web information retrieval, mobile computing, etc. He can be reached via mail at kskupp@gmail.com.

Continued from Page 70...



Figure 1: Android software stack

```
result.moveToFirst();
while(res.isAfterLast == false) {
    Log.d("Title: " + res.
getString(res.getColumnIndex("title")));
    res.moveToNext();
}
```

```
}
}
```

Here, the second parameter in rawQuery is used to enter selection Arguments. For instance:

```
db.rawQuery("SELECT * from Article WHERE title = ?", new
String[]{"SQLite"});
```

You can display the values retrieved using the cursor in a TextView in the activity. Similarly, you can update or delete values from the database using the execSQL method. **END** 

References

- [1] http://en.wikipedia.org/wiki/Android_operating_system
- [2] <http://developer.android.com/reference/android/database/sqlite/SQLiteOpenHelper.html>

By: Gayatri Venugopal

The author is interested in programming Android and PHP based applications. Her other areas of interest are education research, mobile accessibility and education technology.