

Styling tables

We have to give the class 'table' to give basic styling to our table:

```
<table class="table">
</table>
```

Different classes can be given for 'table' to change the basic styling, like:

1. *table-striped* class to add zebra-stripes to a table.
2. *table-bordered* class to add borders on all sides of the table and cells.
3. *table-hover* class enables a hover effect on table rows.
4. *table-responsive* class to create a responsive table.

Styling images

We have to give class names to our images, according to requirements, as shown below:

```

```

Here we have to replace *classname* with the classes given below, as per our needs:

1. *img-rounded* class adds rounded corners to an image.
2. *img-circle* class shapes the image to a circle.
3. *img-thumbnail* class shapes the image to a thumbnail.
4. *img-responsive* class makes the images responsive.

The first responsive layout using Bootstrap

Here is our responsive layout using Bootstrap:

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>Our First Layout</title>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css">
<script src="http://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js"></script> </head>
<body>
<div class="container-fluid">
<h1>Our page title comes here.</h1>
<p>Our page description comes here.</p>
```

```
<div class="row">
<div class="col-sm-4">first column of width 4 out of 12</div>
<div class="col-sm-4">second column of width 3 out of 12</div>
<div class="col-sm-4">third column of width 5 out of 12</div>
</div>
</div>
</body>
</html>
```

Description

1. First, we have to link both the CSS and JavaScript files of Bootstrap to our HTML; CSS to <http://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css>, and JavaScript to <http://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/js/bootstrap.min.js>.
2. Then, we have to define the container inside the body tag as follows:

```
<div class="container-fluid">
```

Here, we can use the class *container-fluid* to get a container without a margin and the class *container* to get a container with a margin.

3. Then we define our page title.
4. This is followed by defining the page description.
5. Then, before defining our columns, we define our row for them.
6. Last of all, we define three columns of width 3, 4, 5, with a total of 12.

I hope you really liked this exercise. Bootstrap is a great framework, and easy to use and learn. If you do not have a real website to develop right now, you can work with a dummy project. Create a wireframe of your favourite websites and try to rebuild them from scratch using Bootstrap. This is a great method for learning this framework. 

By: Gaurav Kakran

The author is a senior associate, Web development, at Fierce Hound Media Pvt Ltd, Gurugram (Gurgaon). He is fond of developing Web applications in PHP, and can be reached at gauravkakran7@gmail.com.

THE COMPLETE MAGAZINE ON OPEN SOURCE

OpenSource
ForYou

Your favourite Magazine on
Open Source is now on the Web, too.

OpenSourceForU.com

Follow us on Twitter@LinuxForYou