

For *product.html* also, open Notepad or any of your favourite code editors and copy the following HTML code:

```
<html>
<head>
<link rel="stylesheet" href="http://maxcdn.bootstrapcdn.com/
bootstrap/3.3.1/css/bootstrap.min.css">
<script src="//maxcdn.bootstrapcdn.com/bootstrap/3.3.1/js/
bootstrap.min.js"></script>
</head>
<body>
  <div>
    <div>
      <nav class="navbar navbar-inverse" role="navigation"
style="padding-left:130px;">
        <ul class="nav navbar-nav">
          <li><a href="/">Home</a></li>
          <li class="active"><a href="/product">Products<span
class="sr-only">(current)</span></a></li>
          <li><a href="/about">About Us</a></li>
        </ul>
      </nav>
    </div>
    <br/>
    <div class="jumbotron">
      <p>
```

Put the product details here!

```
</p>
</div>
</div>
</body>
</html>
```

As you can see in the above code too, we have used Bootstrap files from CDN, and we have also used Bootstrap's Navbar class to provide navigation to HTML pages present in the *views* folder. In this case, since this is the product page, we have set the class of the *Products* link in Navbar as 'active'.

Similarly, for *about.html*, open Notepad or any of your favourite code editors and then copy the following HTML code:

```
<html>
<head>
<link rel="stylesheet" href="http://maxcdn.bootstrapcdn.com/
bootstrap/3.3.1/css/bootstrap.min.css">
<script src="//maxcdn.bootstrapcdn.com/bootstrap/3.3.1/js/
bootstrap.min.js"></script>
</head>
<body>
  <div>
    <div>
```

```
<nav class="navbar navbar-inverse" role="navigation"
style="padding-left:130px;">
  <ul class="nav navbar-nav">
    <li><a href="/">Home</a></li>
    <li><a href="/product">Products</a></li>
    <li class="active"><a href="/about">About Us<span
class="sr-only">(current)</span></a></li>
  </ul>
</nav>
</div>
<br/>
<div class="jumbotron">
  <p>
```

Put the contact details here!

```
</p>
</div>
</div>
</body>
</html>
```

Here, too, we have used Bootstrap files from CDN, and we have used Bootstrap's Navbar class to provide navigation to HTML pages present in the *views* folder. In this case, since this is the *About* page, we have set the class of the 'About Us' link in the Navbar as 'active'.

We are now done with the view/presentation part. Let's add logic to these Web pages by making use of the Express.js framework.

Let's navigate to the root of our *project* directory, open the file *website.js* present there, and delete the code inside it before copying the following code:

```
var express = require('express');
var app = express();
var router = express.Router();

var path = __dirname + '/views/';

app.use('/', router);

router.get('/', function(req, res){
  res.sendFile(path + 'index.html');
});

router.get('/product', function(req, res){
  res.sendFile(path + 'product.html');
});

router.get('/about', function(req, res){
  res.sendFile(path + 'about.html');
});
```