

DevOps Series

Ansible Deployment of Elovation



The Elovation Ruby on Rails application was written by Christos Hrousis. It can be used to track the results of two-player games like chess, table tennis and foosball. This 14th article in this series tells us how to install the Elovation Ruby on Rails application.

The Elovation application uses the Elo rating system created by Arpad Elo, a Hungarian-born American physics professor. You can also use the Trueskill rating system for teams with multiple players and still provide rankings for individual players. Elovation requires at least Ruby on Rails 5.1 and uses the PostgreSQL database for its backend. It is free and open source software and has been released under the MIT licence.

GNU/Linux

An Ubuntu 16.04.1 LTS guest virtual machine (VM) instance using KVM/QEMU has been chosen to set up Elovation.

The host system is a Parabola GNU/Linux-libre x86_64 system, and Ansible is installed on the host system using the distribution package manager. The version of Ansible used is 2.4.3.0 as indicated below:

```
$ ansible --version
```

```
ansible 2.4.3.0
  config file = /etc/ansible/ansible.cfg
  configured module search path = [u'/home/shakthi/.ansible/
  plugins/modules', u'/usr/share/ansible/plugins/modules']
  ansible python module location = /usr/lib/python2.7/site-
  packages/ansible
  executable location = /usr/bin/ansible
  python version = 2.7.14 (default, Jan 5 2018, 10:41:29)
  [GCC 7.2.1 20171224]
```

You should add an entry to the `/etc/hosts` file for the guest 'Ubuntu' VM as follows:

```
192.168.122.244 ubuntu
```

On the host system, let's create a project directory structure to store the Ansible playbooks and inventory, as follows: