

```

changed: [centos]

TASK [assert] *****
ok: [centos] => {
    "changed": false,
    "msg": "All assertions passed"
}

TASK [RHEL-06-000013 | CAT II | System package management
tool must be cryptographically verified] *****
changed: [centos]

TASK [assert] *****
ok: [centos] => {
    "changed": false,
    "msg": "All assertions passed"
}

TASK [RHEL-06-000016 | CAT II | A file integrity tool must be
installed] *****

changed: [centos]

TASK [assert] *****
ok: [centos] => {
    "changed": false,
    "msg": "All assertions passed"
}

TASK [RHEL-06-000018 | CAT II | A file integrity baseline must
be created] *****
ok: [centos]

TASK [assert] *****
ok: [centos] => {
    "changed": false,
    "msg": "All assertions passed"
}

TASK [RHEL-06-000019 | CAT I | There must be no /etc/hosts.
equiv files] *****
ok: [centos]

TASK [assert] *****
ok: [centos] => {
    "changed": false,
    "msg": "All assertions passed"
}

TASK [RHEL-06-000019 | CAT I | There must be no .rhosts file]
*****
ok: [centos]

TASK [assert] *****

```

```

ok: [centos] => {
    "changed": false,
    "msg": "All assertions passed"
}

TASK [RHEL-06-000020 | CAT II | The system must use a Linux
Security Module to enforce limits] *****
changed: [centos]

TASK [assert] *****
ok: [centos] => {
    "changed": false,
    "msg": "All assertions passed"
}

TASK [RHEL-06-000023 | CAT III | The system must use a Linux
Security Module to limit the privileges] *****
changed: [centos]

TASK [assert] *****
ok: [centos] => {
    "changed": false,
    "msg": "All assertions passed"
}

TASK [RHEL-06-000032 | CAT II | The root account must be the
only account having UID 0] *****
changed: [centos]

TASK [assert] *****
ok: [centos] => {
    "changed": false,
    "msg": "All assertions passed"
}

PLAY RECAP *****
centos                      : ok=23   changed=8
unreachable=0   failed=0

```

Fixing STIG

We will also need to create a *fix-stig.yml* Ansible playbook, to set up the system to meet the required STIG specification. The following playbook provides the necessary steps to set up the system for the above mentioned STIG-IDs.

```

# ansible-playbook -i inventory/kvm/inventory playbooks/
configuration/fix-stig.yml -vv
---
- name: STIG
  hosts: centos
  become: true
  gather_facts: true
  tags: [FIX]

```