

```

root@ubuntu: ~
File Edit View Search Terminal Help
root@ubuntu:~# apt-get install icinga2 icinga2-ido-mysql
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
  dbconfig-common icinga2-bin icinga2-common icinga2-doc
  libboost-program-options1.62.0 libboost-regex1.62.0 libicinga2
  libmysqlclient20 libreadline6 monitoring-plugins-basic
  monitoring-plugins-common
Suggested packages:
  dbconfig-mysql | dbconfig-pgsql | dbconfig-sqlite | dbconfig-sqlite3
  | dbconfig-no-thanks icinga2-studio vin-icinga2
The following NEW packages will be installed:
  dbconfig-common icinga2 icinga2-bin icinga2-common icinga2-doc
  icinga2-ido-mysql libboost-program-options1.62.0 libboost-regex1.62.0
  libicinga2 libmysqlclient20 libreadline6 monitoring-plugins-basic
  monitoring-plugins-common
0 upgraded, 13 newly installed, 0 to remove and 283 not upgraded.
Need to get 6,153 kB of archives.
After this operation, 26.2 MB of additional disk space will be used.
Do you want to continue? [Y/n]

```

Figure 2: Package details for the installation of Icinga and *Icinga-ido-mysql*

server, issue the following command:

```
#apt-get install lamp-server^
```

This single command will make your Ubuntu machine a LAMP server and install Apache, MySQL and PHP 7.1.

Press ‘y’ and Ubuntu will download all packages and install Apache, MySQL and PHP, and even configure everything. During the installation, users will be prompted to enter the MySQL password. Enter the secure password twice to set up and continue to the next step.

Step 4: Install Icinga 2 and Icinga2-ido-mysql

After the installation of the LAMP server, the machine is all set to run and deploy the Icinga 2 monitoring solution.

The following command will install the main Icinga software as well as a database driver that enables Icinga to put historical data and other information into a MySQL database.

```
#apt-get install icinga2 icinga2-ido-mysql
```

Press ‘y’ to start the installation.

During the installation, you will be presented with the following questions:

- Enable Icinga 2’s *Ido-mysql* feature?
Select ‘Yes’ and press *Enter*.
- Configure database for *Icinga2-ido-mysql* with *dbconfig-common*?
Select ‘Yes’ and press *Enter*.

You will be prompted to create the Icinga database password. Type in any password of your choice and this will be used for setting up Icinga 2 at the front-end and even the Web interface.

With the above steps, the initial setup and configuration process of Icinga 2 is complete. And now, the machine is all set to enable some features.

Step 5: Enable Icinga2 MySQL features

In order to enable the Icinga 2 MySQL features, issue the following commands:

```

root@ubuntu: ~
File Edit View Search Terminal Help
root@ubuntu:~# systemctl status icinga2
● icinga2.service - Icinga host/service/network monitoring system
   Loaded: loaded (/lib/systemd/system/icinga2.service; enabled; vendor preset:
   Active: active (running) since Sat 2018-04-28 07:37:42 PDT; 1min 6s ago
   Process: 15208 ExecStartPre=/usr/lib/icinga2/prepare-dirs /usr/lib/icinga2/lcl
   Main PID: 15279 (icinga2)
     Tasks: 16 (limit: 19660)
    CGroup: /system.slice/icinga2.service
            └─15279 /usr/lib/x86_64-linux-gnu/icinga2/sbin/icinga2 --no-stack-rll
              15305 /usr/lib/x86_64-linux-gnu/icinga2/sbin/icinga2 --no-stack-rll

Apr 28 07:38:42 ubuntu icinga2[15279]: [2018-04-28 07:37:42 -0700] information/C
Apr 28 07:38:42 ubuntu icinga2[15279]: [2018-04-28 07:37:42 -0700] information/D
Apr 28 07:38:42 ubuntu icinga2[15279]: [2018-04-28 07:37:42 -0700] information/I
Apr 28 07:38:42 ubuntu icinga2[15279]: [2018-04-28 07:37:42 -0700] information/I
Apr 28 07:38:42 ubuntu icinga2[15279]: [2018-04-28 07:37:44 -0700] information/I
Apr 28 07:38:42 ubuntu icinga2[15279]: [2018-04-28 07:37:52 -0700] information/W
Apr 28 07:38:42 ubuntu icinga2[15279]: [2018-04-28 07:38:02 -0700] information/W
Apr 28 07:38:42 ubuntu icinga2[15279]: [2018-04-28 07:38:12 -0700] information/W
Apr 28 07:38:42 ubuntu icinga2[15279]: [2018-04-28 07:38:22 -0700] information/W
Apr 28 07:38:42 ubuntu icinga2[15279]: [2018-04-28 07:38:32 -0700] information/W
lines 1-20/20 (END)

```

Figure 3: Checking the status of Icinga

```
#icinga2 feature enable ido-mysql
#icinga2 feature enable command
```

In order to save the changes and make sure that no errors occur over the next steps, you need to restart Icinga 2 to proceed with the subsequent installation steps.

```
#systemctl restart icinga2
```

Step 6: In order to ensure that Icinga 2 is up and running, we can check its status by using the following command:

```
#systemctl status icinga2
```

The green signal in Figure 3 confirms that the configuration has been done successfully and Icinga 2 is up and running. Now we are all set for the front-end Web based configuration.

Step 7: Installing the Icinga 2 Web interface

In order to help network administrators easily monitor the network and all the devices, the most important module available, in addition to Icinga 2, is Icinga 2 Web.

The following command installs the Icinga 2 Web interface:

```
#apt-get install icingaweb2
```

Press ‘y’ to start the installation.

Step 8: Editing the *php.ini* file for time zone configuration

In order to ensure that the Web interface-based installation doesn’t give any errors, the most important part is to edit the *php.ini* file and set the time zone. Issue the following command to open the *php.ini* file in the NANO editor:

```
#nano /etc/php/7.1/apache2/php.ini
```

```

root@ubuntu: ~
File Edit View Search Terminal Help
root@ubuntu:~# icingacli setup token create
The newly generated setup token is: df1df1c7b1a1ddad

```

Figure 4: Token creation for setup